



PRD-C G0027-2

16Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

4000K

Material:aluminum+iron+silica gel

Size:600x140x100

Color:BK





PRD-C G0027-3

24Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

4000K

Material:aluminum+iron+silica gel

Size:600x140x100

Color: BK



PRD-C G0027-3

24Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

4000K

Material:aluminum+iron+silica gel

Size:600x160x100

Color: BK





Paradizo



PRD-C G0013R-2 16Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:360x175x75



4000K

Color: BK



PRD-C G0013R-3 24Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:530x175x75



4000K

Color: WH



PRD-C G0013R-3 24Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:530x175x75



4000K

Color: BK

Paradizo





Paradizo



PRD-C G0013S-2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:365x175x75



4000K

Color:BK



PRD-C G0013S-3

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:535x175x75



4000K

Color: WH



PRD-C G0013S-3

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:D500x55



4000K

Color: 奶白+FR

Paradizo





Paradizo



PRD-C G0161

56WX2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K



4000K

Material:iron+aluminum+acrylic

Size:D500x165mm

Color:BK



PRD-C G0161S

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K



4000K

Material:iron+acrylic

Size:D500X175

Color: WH



PRD-C G0162R

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K



4000K

Material:iron+acrylic

Size:460x430x80

Color: BK

Paradizo





Paradizo



PRD-C 1022 44W

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel

Size:D570x90



4000K

Color: BK



PRD-C 0976 99Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel

Size:515x515x105



4000K

Color: WH



PRD-C 0963 41Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel

Size:D495x75



4000K

Color: BK

Paradizo





Paradizo



PRD-C 0975S-3 54Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W

3000K

4000K

Material:iron+aluminum+silica gel

Size:540x360x75

Color: BK



PRD-C 0975L-4 41Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W

3000K

4000K

Material:iron+aluminum+silica gel

Size:D495x75

Color: BK

Paradizo





10251-2LED

68W

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K


Material:iron+aluminum+acrylic

Size:490x450x75

Color: BK WH FR



4000K




10250-2LED

134Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W




3000K

Material:iron+aluminum+acrylic

Size:1090x680x75

Color: BK WH FR



4000K



10294-3LED

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:aluminum+iron+silica gel

Size:1030x630x50

4000K







PRD-C 1030S

32WX2


MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+acrylic+silica gel



4000K

Color:BK




PRD-C 1030L

43Wx2


MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K


Material:iron+acrylic+silica gel



4000K

Color: BK





PRD-C 0998-3 36.5W\*2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K


Material:iron+aluminum+silica gel

Size:500x500x205



4000K

Color:GD WH



PRD-C 0998-4 48W\*2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel


Size:600x600x205



4000K

Color:GD WH






PRD-C 0999S-3 35W\*2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K


Material:iron+aluminum+silica gel

Size:500x500x140



4000K

Color:BK WH



PRD-C 0999L-3 48.5W\*2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel

Size:600x600x140



4000K

Color:BK WH





PRD-C 1010S 27W\*2

MODE:IR remote control

LED:CRI 80 75-95LM/W


3000K

4000K

Material:iron+aluminum+silica gel

Size:630x360x100

Color:WH



PRD-C 1011S 32.5W\*2

MODE:IR remote control

LED:CRI 80 75-95LM/W

3000K

4000K

Material:iron+aluminum+silica gel

Size:540x370x200

Color: WH



PRD-C 1010L 46W\*2

MODE:IR remote control

LED:CRI 80 75-95LM/W

3000K

4000K

Material:iron+aluminum+silica gel

Size:800x500x100

Color:BK



PRD-C 1011L 36.5W\*2

MODE:IR remote control

LED:CRI 80 75-95LM/W

3000K




4000K

Material:iron+aluminum+silica gel

Size:760x420x220

Color: WH





PRD-C 1010S 16W

MODE:IR remote control

LED:CRI 80 75-95LM/W

3000K

Material:iron+aluminum+silica gel

Size:570x220x70

4000K

Color:WH



PRD-C 1011S 27W

MODE:IR remote control

LED:CRI 80 75-95LM/W

3000K

Material:iron+aluminum+silica gel

Size:D500x70

4000K

Color: WH



PRD-C 1016-2 32W

MODE:IR remote control

LED:CRI 80 75-95LM/W

3000K

Material:iron+aluminum+silica gel

Size:570x570x100

4000K

Color:WH



PRD-C 1014L 32W

MODE:IR remote control

LED:CRI 80 75-95LM/W


3000K

Material:iron+aluminum+silica gel





Size:D600x70

4000K

Color: WH







PRD-C 1016S-3 36W

MODE:IR remote control

LED:CRI 80 75-95LM/W


3000K

Material:iron+aluminum+silica gel

Size:600x480x130

4000K

Color: WH



PRD-C 1016L-3 32W

MODE:IR remote control

LED:CRI 80 75-95LM/W

3000K




Material:iron+aluminum+silica gel

Size:D600x70

4000K

Color: WH





**PRD-C 1017-2    32W**

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel

Size:600x500x100

4000K

Color:WH



**PRD-C 1017S-3    32W**

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel

Size:500x500x100

4000K

Color:WH



**PRD-C 1017L-3    36W**

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel

Size:600x480x130

4000K

Color: WH



**PRD-C 1018    42W**

MODE:IR remote control

LED:CRI 80 75-95LM/W

3000K

Material:iron+aluminum+silica gel

Size:D600x70

4000K

Color: WH





**PRD-C 1010S     22.5W**

MODE:IR remote control

LED:CRI 80 75-95LM/W


**3000K**

Material:iron+aluminum+silica gel

Size:640x230x170

**4000K**

Color:WH



**PRD-C 1013-3     36W**

MODE:IR remote control

LED:CRI 80 75-95LM/W


**3000K**

Material:iron+aluminum+silica gel

Size:810x290x200

**4000K**

Color:WH



**PRD-C 1015S     33W**

MODE:IR remote control

LED:CRI 80 75-95LM/W



**3000K**

Material:iron+aluminum+silica gel

Size:670x400x100

**4000K**

Color: WH



**PRD-C 1015L     36W**

MODE:IR remote control

LED:CRI 80 75-95LM/W

**3000K**

Material:iron+aluminum+silica gel

Size:770x500x100

**4000K**

Color: WH



PRD-C 1034-2 26Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



4000K

Material:iron+aluminum+silica gel

Size:710x405x295 Color: BK GD



PRD-C PRD-C 1034-3 33Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



4000K

Material:iron+aluminum+silica gel

Size:D560x295 Color:BK GD



PRD-C 1034-2+2 52Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W




4000K

Material:iron+aluminum+silica gel

Size:830x600x295 Color:BK GD








PRD-WOOD-2405

660X480X58

Iron + Wood



PRD-WOOD-2403

MODE:IR remote control


LED:CRI 80 75-95LM/W



4000K

Material:Aluminum + Wood


Size:560X250X32



PRD-WOOD-2404

MODE:IR remote control


LED:CRI 80 75-95LM/W



4000K

Material:Aluminum + Wood


Size:580X430X84



PRD-WOOD-2406

MODE:IR remote control


LED:CRI 80 75-95LM/W



4000K

Material:Iron + Wood

Size:700X430X65




10252-2LED

56WX2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+acrylic



4000K

Color:BK WH FR



10296-3LED

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K



4000K

Material:iron+acrylic

Size:D460x50

Color: WH FR



10295-3LED

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K



4000K

Material:iron+acrylic

Size:460x460x50

Color: WH FR





4000K

PRD-C 1028R

MODE:2.4G remote control

Material:iron+aluminum+silica gel+acrylic

LED:CRI 80 75-95LM/W

Size:475x460x90

Color: WH CH



4000K

PRD-C 1028S

MODE:2.4G remote control

Material:iron+aluminum+silica gel+acrylic

LED:CRI 80 75-95LM/W

Size:475x475x90

Color: WH CH



4000K

PRD-C 1029

MODE:2.4G remote control

Material:aluminum+iron+silica gel

LED:CRI 80 75-95LM/W

Size:D490x70

Color:WH



4000K

PRD-C 1029R

MODE:2.4G remote control

Material:iron+aluminum+silica gel+acrylic

LED:CRI 80 75-95LM/W

Size:500x440x70

Color:WH



4000K

PRD-C 1029S

MODE:2.4G remote control

Material:iron+aluminum+silica gel+acrylic

LED:CRI 80 75-95LM/W

Size:450x450x70

Color: WH



PRD-C 0983R 68Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:D480x47



4000K

Color: WH



PRD-C 0983S 78Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:480x480x50



4000K

Color: WH



PRD-C 0984S 83Wx2

MODE:2.4G remote control


LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:495x470x95



4000K

Color: WH





PRD-C 0980 72Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+aluminum+silica gel

Size:480x470x97



4000K


Color:WH+ Grey



PRD-C 0977 67Wx2

MODE:2.4G remote control


LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel

Size:D480x90



4000K

Color: WH



PRD-C 0981 68Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+aluminum+silica gel

Size:488x470x90



4000K

Color: WH



PRD-C 0978 66Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel

Size:D480x90



4000K

Color: WH



PRD-C 0982 66Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+aluminum+silica gel

Size:D480x90



4000K

Color: WH



PRD-C 0979 71Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel

Size:495x470x95



4000K

Color: WH+ Grey






PRD-C 0980 80Wx2

MODE:2.4G remote control


LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:480x480x50



4000K


Color:WH



PRD-C 0987S 36Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+acrylic

Size:D400x55



4000K

Color: GD CL



PRD-C 0986S 59Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:D400x55



4000K

Color: MW+FR



PRD-C 0983S 44Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:D500x55



4000K

Color: GD CL



PRD-C 0986L 75Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:D500x55



4000K

Color: MW +FR



PRD-C 0984S 80Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:D390x80



4000K

Color: WH FR





PRD-C 0546R-2+2A 51Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:605x425x110



4000K

Color: WH FR



PRD-W 0546R 15Wx2

MODE:single color

LED:CRI 80 75-95LM/W



3000K

Material:iron+acrylic

Size:225x200x45



4000K

Color: WH FR



PRD-C 0546R-6A 78Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:605x425x110



4000K

Color: WH FR



PRD-C 0546R-2A 63Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+acrylic

Size:460x395x120



4000K

Color: WH FR



Paradizo




PRD-C 0368-2A

57Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+aluminium+acrylic

Size:D280X30



4000K

Color: WH FR



PRD-C 0368-2+2A 99Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+aluminium+acrylic

Size:D280X30



4000K

Color:WH FR

Paradizo





Paradizo



PRD-C 0546S-4A

111Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K+6000K

4000K

Material:iron+acrylic

Size:555x555x80

Color: WH FR



PRD-C 0972-2+2

62Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K+6000K

4000K

Material:iron+acrylic

Size:665x475x120

Color: WH FR

Paradizo





PRD-C 0972S-4 48Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K+6000K


Material:iron+acrylic

Size:355x355x80



4000K

Color: WH FR



PRD-C 0546S-2+2A 54Wx2

MODE:IR remote control


LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:765x470x120



4000K

Color: WH FR



PRD-C 0972L-4 76Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:505x505x80



4000K


Color: WH FR



PRD-C 0546S-6A 155Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:970x730x150



4000K

Color: WH FR






PRD-C 0972-3+3    93Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:D650x120



4000K

Color: WH FR



PRD-C 0973S    28Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K


Material:iron+acrylic

Size:D330x80



4000K

Color: WH



PRD-C 0972-4+4    124Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:525x525x120



4000K

Color: WH FR



PRD-C 0973L    32Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:D410x80



4000K

Color: WH





Paradizo



PRD-C 0974

52Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

4000K

Material:iron+aluminium+acrylic+silica gel

Size:D500x100

Color: WH BK



PRD-C 0867R

68Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

4000K

Material:iron+acrylic

Size:D500x60

Color: WH FR

Paradizo





4000K

PRD-C 1032R

MODE:2.4G remote control

LED:CRI 80 75-95LM/W

Size:D500x45

Color: BK WH GY

Material:iron+aluminum+silica gel



4000K

PRD-C 1033R

MODE:2.4G remote control

LED:CRI 80 75-95LM/W

Size:D480x50

Material:iron+acrylic

Color:WH FR



4000K

PRD-C 1032S


MODE:2.4G remote control

LED:CRI 80 75-95LM/W

Size:500x500x45

Color: BK WH GY

Material:iron+aluminum+silica gel



4000K

PRD-C 1033S

MODE:2.4G remote control

LED:CRI 80 75-95LM/W

Size:480x480x50

Material:iron+acrylic

Color: WH FR




Paradizo



PRD-C 1025 60Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:D470x90



4000K

Color: WH FR



PRD-C 1026 52Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:D500x55



4000K

Color: GD CL



PRD-C 1027 80Wx2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K+6000K

Material:iron+acrylic

Size:D390x80



4000K

Color: WH FR

Paradizo





PRD-C 0970R-A3 D495 26Wx2 3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D495x38

Color:WH FR



PRD-C 0970R-A2+2 D495 26Wx2 3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D495x38

Color: WH FR



PRD-C 0970R-A2+2 595 31Wx2 3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D595x38

Color:WH FR





Paradizo



PRD-C 0970R-A4 595

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



31Wx2 3000K

Size:D595x38



4000K

Material:iron+acrylic

Color:WH FR



PRD-C 0970R-B4 595 31Wx2

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Size:D595x38



4000K

Material:iron+acrylic

Color: WH FR

Paradizo





PRD-C 0970R-A-1+1 395 20Wx2 3000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D395x38

Color:WH FR



PRD-C 0970R-A 395 20Wx2 3000K


MODE:IR remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D395x38

Color: WH FR



PRD-C 0968-B 20Wx2 3000K

MODE:IR remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D395x38

Color:WH FR



PRD-C 0970R-2 395 20Wx2

3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D395x38

Color:WH FR



PRD-C 0970R-3 495 26Wx2

3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D495x38

Color: WH FR



PRD-C 0970R-4 D597 31Wx2

3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D600x38

Color:WH FR



PRD-C 0970S-8 1093

60Wx2 3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:1093x745x38

Color:WH FR





PRD-C 0970S-2+2 595    38Wx2    3000K    4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:595x395x38

Color:WH FR



PRD-C 0970S-B2+2 595    38Wx2    3000K    4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:595x395x38

Color: WH FR



PRD-C 0970S-4+4 1093    60Wx2    3000K    4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:1093x745x38

Color:WH FR



PRD-C 0970S-2 350    22Wx2    3000K    4000K


MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:350x350x38

Color:WH FR



PRD-C 0970S-3 495    31Wx2    3000K    4000K

MODE:IR remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:495x495x38

Color: WH FR



PRD-C 0970S-4 595    38Wx2    3000K    4000K

MODE:IR remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:595x595x38

Color:WH FR



PRD-C 0967

MODE:2.4G remote control

LED:CRI 80 75-95LM/W

26Wx2



3000K



4000K

Material:iron+acrylic

Size:D495x38

Color:WH FR



PRD-C 0967-B

MODE:2.4G remote control

LED:CRI 80 75-95LM/W

26Wx2



3000K



4000K

Material:iron+acrylic

Size:D495x38

Color: WH FR



PRD-C 0967-C

MODE:2.4G remote control

LED:CRI 80 75-95LM/W

26Wx2



3000K



4000K

Material:iron+acrylic

Size:D495x38

Color:WH FR





PRD-C 0967-2+2

26Wx2

3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D495x38

Color:WH FR



PRD-C 0968

24Wx2

3000K

4000K

MODE:IR remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D470x38

Color: WH FR



PRD-C 0968-B

24Wx2

3000K

4000K

MODE:IR remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D470x38

Color:WH FR



PRD-C 0968-C

24Wx2

3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:D470x38

Color:WH FR



PRD-C 0969

26Wx2

3000K

4000K


MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:495x465x38

Color: WH FR



PRD-C 0969S-A

15Wx2

3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:310x270x38


Color:WH FR



**PRD-C 0969S-B**      15Wx2      3000K      4000K

MODE:2.4G remote control      Material:iron+acrylic

LED:CRI 80 75-95LM/W      Size:310x270x38      Color:WH FR



**PRD-C 0969S-C**      15Wx2      3000K      4000K

MODE:IR remote control      Material:iron+acrylic

LED:CRI 80 75-95LM/W      Size:310x270x38      Color: WH FR



**PRD-C 0969L-B**      26Wx2      3000K      4000K

MODE:IR remote control      Material:iron+acrylic

LED:CRI 80 75-95LM/W      Size:495x465x38      Color:WH FR



**PRD-C 0969L-C**      26Wx2      3000K      4000K

MODE:2.4G remote control      Material:iron+acrylic

LED:CRI 80 75-95LM/W      Size:495x465x38      Color:WH FR



**PRD-C 0969L-D**      26Wx2      3000K      4000K

MODE:2.4G remote control      Material:iron+acrylic

LED:CRI 80 75-95LM/W      Size:495x465x38      Color: WH FR





PRD-C 0971

23Wx2

3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:520x330x38

Color:WH FR



PRD-C 0971B

23Wx2

3000K

4000K


MODE:IR remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:520x330x38

Color: WH FR



PRD-C 0991S-2

16Wx2

3000K

4000K

MODE:IR remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:378x255x38

Color:WH FR



PRD-C 0991S-2B

16Wx2

3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:378x255x38

Color:WH FR



PRD-C 0991L-3

38Wx2 3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:595x395x38

Color: WH FR



PRD-C 0991L-2+2 21Wx2

3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:495x295x38

Color:WH FR



PRD-C 0992-1+1 14Wx2

3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:315x210x38

Color:WH FR



PRD-C 0992-3 28Wx2

3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:615x410x38

Color:WH FR



PRD-C 0992-2+2 28Wx2

3000K

4000K

MODE:IR remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:613x408x38

Color: WH FR



PRD-C 0992-3B

28Wx2 3000K

4000K

MODE:2.4G remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:615x410x38

Color: WH FR



PRD-C 0992-2 14Wx2

3000K

4000K

MODE:IR remote control

Material:iron+acrylic

LED:CRI 80 75-95LM/W

Size:315x210x38

Color:WH FR






Paradizo



PRD-C 0990S 24W\*2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel+acrylic

Size:D420x140



4000K

Color:SL WH GD



PRD-C 0990M 33W\*2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel+acrylic

Size:D520x140



4000K

Color:SL WH GD



PRD-C 0990L 66.5W\*2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel+acrylic

Size:D420x140



4000K

Color:SL WH GD

Paradizo





Paradizo



PRD-C 0995S 33.5W\*2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel+acrylic

Size:D410x290



4000K

Color:SL+GD



PRD-C 0995M 36.5W\*2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel+acrylic

Size:D510x300



4000K

Color:SL+ GD



PRD-C 0995L 69.5W\*2

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

Material:iron+aluminum+silica gel+acrylic

Size:D610x330



4000K

Color:SL+GD

Paradizo





## PRD-C 1024S

495x490x400 iron+aluminium+acrylic

BK GD rotation angle 180°

surface mounted IP20



## PRD-C 1024L

595x500x440 iron+aluminium+acrylic

BK GD rotation angle 180°

surface mounted IP20



## PRD-P 1024L

595x505x1000 iron+aluminium+acrylic

BK GD rotation angle 180°

surface mounted IP20





PRD-C 1031

4000K

MODE:2.4G remote control

Material:iron+aluminum+silica gel

LED:CRI 80 75-95LM/W

Size:555x470x160

Color:BK GD



PRD-C 1029S

4000K

MODE:2.4G remote control

Material:iron+aluminum+silica gel+acrylic

LED:CRI 80 75-95LM/W

Size:450x450x70

Color: WH



**PRD-C 0962**

|              |                 |                |                         |
|--------------|-----------------|----------------|-------------------------|
| Size         | 380x360x1000    | Material       | iron+acrylic+silica gel |
| Color        | GD CL           | Rotation angle | 180°                    |
| Installation | surface mounted |                | IP20                    |

**PRD-C 0404-3**

|              |                 |                |                        |
|--------------|-----------------|----------------|------------------------|
| Size         | 960x670x1000    | Material       | iron+aluminium+acrylic |
| Color        | BK FR           | Rotation angle | 180°                   |
| Installation | surface mounted |                | IP20                   |




PRD-P 1004 32Wx2



|              |                       |       |    |
|--------------|-----------------------|-------|----|
| Size         | 1000x160x1000         | Color | WH |
| Material     | iron+aluminum+acrylic |       |    |
| Installation | surface mounted       | IP20  |    |

PRD-P 1005 45.5Wx2

|              |                                  |       |    |
|--------------|----------------------------------|-------|----|
| Size         | 1000x200x1000                    | Color | BK |
| Material     | iron+aluminum+acrylic+silica gel |       |    |
| Installation | surface mounted                  | IP20  |    |






PRD-P 1006 28Wx2

|              |                                  |       |      |
|--------------|----------------------------------|-------|------|
| Size         | 1000x190x1000                    | Color | WH   |
| Material     | iron+aluminum+acrylic+silica gel |       |      |
| Installation | surface mounted                  |       | IP20 |



PRD-P 1007R 39Wx2

|              |                                  |       |       |
|--------------|----------------------------------|-------|-------|
| Size         | 370x140x1000                     | Color | WH GD |
| Material     | iron+aluminum+acrylic+silica gel |       |       |
| Installation | surface mounted                  |       | IP20  |





PRD-P 0990-1

|              |                                 |                |      |
|--------------|---------------------------------|----------------|------|
| Size         | D510x1200                       |                |      |
| Color        | GD WH                           | Rotation angle | 180° |
| Installation | surface mounted                 |                | IP20 |
| Material     | iron+aluminumacrylic+silica gel |                |      |



PRD-P 0990-2

|              |                                 |                |      |
|--------------|---------------------------------|----------------|------|
| Size         | D610x1200                       |                |      |
| Color        | GD WH                           | Rotation angle | 180° |
| Installation | surface mounted                 |                | IP20 |
| Material     | iron+aluminumacrylic+silica gel |                |      |





PRD-P 0996

900x160x1200 iron+aluminum+silica gel+acrylic

SL WH 2.4G remote control

surface mounted

rotation angle 180° IP20



PRD-P 0997

900x160x1200 iron+aluminum+silica gel+acrylic

SL WH 2.4G remote control

surface mounted

rotation angle 180° IP20



PRD-P 1021-5

600x240x1200

BK GD WH iron+aluminum+acrylic

surface mounted

rotation angle 180° IP20



PRD-P 1021-5

840x240x1200

BK GD WH iron+aluminum+acrylic

surface mounted

rotation angle 180° IP20



PRD-C 1023-3

Size D350x1000 Material iron+aluminium+acrylic

Color BK GD FR Rotation angle 180°

Installation surface mounted IP20



PRD-C 1023-3A

Size 780x150x1000 Material iron+aluminium+acrylic

Color BK GD FR Rotation angle 180°

Installation surface mounted IP20



PRD-C 1019 83Wx2

|              |                          |       |    |
|--------------|--------------------------|-------|----|
| Size         | D530x1000                | Color | BK |
| Material     | iron+aluminum+silica gel |       |    |
| Installation | surface mounted          | IP20  |    |



PRD-C 1020 105Wx2

|              |                          |       |    |
|--------------|--------------------------|-------|----|
| Size         | D500x1000                | Color | BK |
| Material     | iron+aluminum+silica gel |       |    |
| Installation | surface mounted          | IP20  |    |



PRD-P 1007S 37.5Wx2

|              |                                  |       |       |
|--------------|----------------------------------|-------|-------|
| Size         | 370x140x1000                     | Color | BK GD |
| Material     | iron+aluminum+acrylic+silica gel |       |       |
| Installation | surface mounted                  | IP20  |       |



PRD-P 1008 34. 5Wx2

|              |                                  |       |       |
|--------------|----------------------------------|-------|-------|
| Size         | 500x190x1000                     | Color | WH GD |
| Material     | iron+aluminum+acrylic+silica gel |       |       |
| Installation | surface mounted                  | IP20  |       |





PRD-P 1000R-6

|                          |                 |       |       |
|--------------------------|-----------------|-------|-------|
| Size                     | D730x1000       | Color | BK CL |
| Material                 | iron+acrylic    |       |       |
| Installation             | surface mounted |       |       |
| Light Source/ Lampholder | GX53            | IP20  |       |



PRD-P 1000R-A3

|                          |                 |       |          |
|--------------------------|-----------------|-------|----------|
| Size                     | 650x1000        | Color | BK GD CL |
| Material                 | iron+acrylic    |       |          |
| Installation             | surface mounted |       |          |
| Light Source/ Lampholder | GX53            | IP20  |          |



PRD-P 1000R-4

|                          |                 |       |       |
|--------------------------|-----------------|-------|-------|
| Size                     | 930x1000        | Color | BK CL |
| Material                 | iron+acrylic    |       |       |
| Installation             | surface mounted |       |       |
| Light Source/ Lampholder | GX53            | IP20  |       |





PRD-P 1000R-1

|                          |                 |       |          |
|--------------------------|-----------------|-------|----------|
| Size                     | D152x1000       | Color | BK GD CL |
| Material                 | iron+acrylic    |       |          |
| Installation             | surface mounted |       |          |
| Light Source/ Lampholder | GX53            | IP20  |          |



PRD-P 1000R-3

|                          |                 |       |          |
|--------------------------|-----------------|-------|----------|
| Size                     | D330x1000       | Color | BK GD CL |
| Material                 | iron+acrylic    |       |          |
| Installation             | surface mounted |       |          |
| Light Source/ Lampholder | GX53            | IP20  |          |



PRD-P 1000R-3

|                          |                 |       |       |
|--------------------------|-----------------|-------|-------|
| Size                     | 480x465x1000    | Color | WH CL |
| Material                 | iron+acrylic    |       |       |
| Installation             | surface mounted |       |       |
| Light Source/ Lampholder | GX53            | IP20  |       |



PRD-P 1000R-6

|                          |                 |       |          |
|--------------------------|-----------------|-------|----------|
| Size                     | D730x1000       | Color | BK GD CL |
| Material                 | iron+acrylic    |       |          |
| Installation             | surface mounted |       |          |
| Light Source/ Lampholder | GX53            | IP20  |          |



# Modern simple chandelier

PRD-C 1000R-5B



Paradizo



PRD-C 1000R-2B

|                          |             |              |                 |
|--------------------------|-------------|--------------|-----------------|
| Size                     | 552x152x353 | Material     | iron+acrylic    |
| Color                    | WH CL       | Installation | surface mounted |
| Light Source/ Lampholder | GX53        |              |                 |



PRD-C 1000R-3B

|                          |             |              |                 |
|--------------------------|-------------|--------------|-----------------|
| Size                     | 500x452x353 | Material     | iron+acrylic    |
| Color                    | WH CL       | Installation | surface mounted |
| Light Source/ Lampholder | GX53        |              |                 |



PRD-C 1000R-2B

|                          |             |              |                 |
|--------------------------|-------------|--------------|-----------------|
| Size                     | 552x152x353 | Material     | iron+acrylic    |
| Color                    | BK GD CL    | Installation | surface mounted |
| Light Source/ Lampholder | GX53        |              |                 |



PRD-C 1000R-2B

|                          |             |              |                 |
|--------------------------|-------------|--------------|-----------------|
| Size                     | 552x152x353 | Material     | iron+acrylic    |
| Color                    | BK CL       | Installation | surface mounted |
| Light Source/ Lampholder | GX53        |              |                 |



PRD-C 1000R-3B

|                          |             |                |                 |
|--------------------------|-------------|----------------|-----------------|
| Size                     | 500x452x353 | Material       | iron+acrylic    |
| Color                    | BK CL       | Installation   | surface mounted |
| Light Source/ Lampholder | Gx53        | Hole Cut : D65 |                 |



PRD-C 1000R-3B

|                          |             |                |                 |
|--------------------------|-------------|----------------|-----------------|
| Size                     | 500x452x353 | Material       | iron+acrylic    |
| Color                    | BK GD CL    | Installation   | surface mounted |
| Light Source/ Lampholder | GX53        | Hole Cut : D65 |                 |

Paradizo



Modern simple ceiling light



PRD-C 1000R-3+1

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 540x488x85 | Material     | iron+acrylic    |
| Color                    | BK CL      | Installation | surface mounted |
| Light Source/ Lampholder | GX53       |              |                 |



PRD-C 1000R-2+2

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 700x344x85 | Material     | iron+acrylic    |
| Color                    | BK CL      | Installation | surface mounted |
| Light Source/ Lampholder | GX53       |              |                 |



PRD-C 1000R-3+3

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 661x593x85 | Material     | iron+acrylic    |
| Color                    | BK CL      | Installation | surface mounted |
| Light Source/ Lampholder | GX53       |              |                 |



PRD-C 1000R-6+1

|                          |         |              |                 |
|--------------------------|---------|--------------|-----------------|
| Size                     | D720x85 | Material     | iron+acrylic    |
| Color                    | BK CL   | Installation | surface mounted |
| Light Source/ Lampholder | GX53    |              |                 |



PRD-C 1000S-2

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 376x187x80 | Material     | iron+acrylic    |
| Color                    | BK CL      | Installation | surface mounted |
| Light Source/ Lampholder | Gx53       |              |                 |



PRD-C 1000S-3

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 565x187x80 | Material     | iron+acrylic    |
| Color                    | BK CL      | Installation | surface mounted |
| Light Source/ Lampholder | GX53       |              |                 |



PRD-C 1000-4+1

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 565x565x80 | Material     | iron+acrylic    |
| Color                    | BK CL      | Installation | surface mounted |
| Light Source/ Lampholder | Gx53       |              |                 |



PRD-C 1000S-7

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 944x565x80 | Material     | iron+acrylic    |
| Color                    | BK CL      | Installation | surface mounted |
| Light Source/ Lampholder | GX53       |              |                 |





PRD-W 1000R

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D152x122 | Material     | iron+acrylic    |
| Color                    | WH CL    | Installation | surface mounted |
| Light Source/ Lampholder | GX53     |              |                 |



PRD-W 1000R

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D152x122 | Material     | iron+acrylic    |
| Color                    | BK CL    | Installation | surface mounted |
| Light Source/ Lampholder | GX53     |              |                 |



PRD-C 1000R-A2

|                          |             |              |                 |
|--------------------------|-------------|--------------|-----------------|
| Size                     | 370x152x122 | Material     | iron+acrylic    |
| Color                    | BK CL       | Installation | surface mounted |
| Light Source/ Lampholder | Gx53        |              |                 |



PRD-C 1000R-2A

|                          |             |              |                 |
|--------------------------|-------------|--------------|-----------------|
| Size                     | 350x152x122 | Material     | iron+acrylic    |
| Color                    | WH CL       | Installation | surface mounted |
| Light Source/ Lampholder | GX53        |              |                 |



PRD-W 1000R-1B

|                          |              |              |                 |
|--------------------------|--------------|--------------|-----------------|
| Size                     | D152x138x205 | Material     | iron+acrylic    |
| Color                    | BK CL        | Installation | surface mounted |
| Light Source/ Lampholder | GX53         |              |                 |





PRD-W 0994

|                          |                    |                |               |
|--------------------------|--------------------|----------------|---------------|
| Size                     | 160x80x175         | Material       | iron+aluminum |
| Color                    | BK WH              | Rotation angle | 180°          |
| Installation             | recessed downlight |                |               |
| Light Source/ Lampholder | GU10*1             |                |               |



PRD-C 0994A-1 11W\*2

|                          |                    |                |                       |
|--------------------------|--------------------|----------------|-----------------------|
| Size                     | D230x193           | Material       | iron+aluminum+acrylic |
| Color                    | BK WH              | Rotation angle | 180°                  |
| Installation             | recessed downlight |                |                       |
| Light Source/ Lampholder | GU10*2             |                |                       |



PRD-C 0994A-3 15Wx2

|                          |                    |          |                       |
|--------------------------|--------------------|----------|-----------------------|
| Size                     | D292x193           | Material | iron+aluminum+acrylic |
| Color                    | BK WH              |          |                       |
| Installation             | recessed downlight |          |                       |
| Light Source/ Lampholder | GU10               |          |                       |





PRD-P 0994-1

|                          |                    |          |               |
|--------------------------|--------------------|----------|---------------|
| Size                     | D100x1000          | Material | iron+aluminum |
| Color                    | BK WH              |          |               |
| Installation             | recessed downlight |          |               |
| Light Source/ Lampholder | GU10*1             |          |               |



PRD-P 0994-1

|                          |                    |          |               |
|--------------------------|--------------------|----------|---------------|
| Size                     | 900x70x1000        | Material | iron+aluminum |
| Color                    | BK WH              |          |               |
| Installation             | recessed downlight |          |               |
| Light Source/ Lampholder | GU10*5             |          |               |



PRD-P 0994-3

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D250x1000          | Material | aluminium |
| Color                    | BK WH              |          |           |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10*3             |          |           |



PRD-P 0994-6

|                          |                    |          |               |
|--------------------------|--------------------|----------|---------------|
| Size                     | D650x1000          | Material | iron+aluminum |
| Color                    | BK WH              |          |               |
| Installation             | recessed downlight |          |               |
| Light Source/ Lampholder | GU10*6             |          |               |



PRD-C 0994-2

Size 400x100x220 Material iron+aluminum

Color BK WH

Installation surface mounted downlight



PRD-C 0994-2

Size 400x100x220 Material iron+aluminum

Color BK WH

Installation surface mounted downlight

PRD-C 0994-2

Size 400x100x220 Material iron+aluminum

Color BK WH

Installation surface mounted downlight



# Multiple angles

Change according to demand

Adjustable up and down 90°






Adjustable up and down 30°

PRD-C 1003B-6

|                          |             |          |              |
|--------------------------|-------------|----------|--------------|
| Size                     | 695x632x440 | Material | iron+acrylic |
| Light Source/ Lampholder | GU10        |          |              |



PRD-C 1003B-2

|                          |             |          |              |
|--------------------------|-------------|----------|--------------|
| Size                     | 250x100X350 | Material | iron+acrylic |
| Light Source/ Lampholder | GU10        |          |              |

PRD-C 1003B-31003A-1

|                          |          |          |              |
|--------------------------|----------|----------|--------------|
| Size                     | D250x482 | Material | iron+acrylic |
| Light Source/ Lampholder | GU10     |          |              |



Paradizo



PRD-C 1003

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | 100x129x138        | Material | iron+acrylic |
| Color                    | BK                 |          |              |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | IP20     |              |



PRD-C 1003A-3

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | D290x170           | Material | iron+acrylic |
| Color                    | BK FR              |          |              |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | Ip44     |              |



PRD-C 1003-2

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | 313x100x197        | Material | iron+acrylic |
| Color                    | BK                 | Hole Cut | D82          |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | IP65     |              |



PRD-C 1003A-1

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | D230x170           | Material | iron+acrylic |
| Color                    | BK FR              |          |              |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | IP20     |              |



PRD-C 1003A-5

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | D400x170           | Material | iron+acrylic |
| Color                    | BK FR              |          |              |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | IP65     |              |



PRD-C 1003-3

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | 755x100x165        | Material | iron+acrylic |
| Color                    | BK                 | Hole Cut | D82          |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | IP65     |              |

Paradizo



PRD-P 1002-8

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | 700x272x1000    | Material | iron+acrylic |
| Color                    | BK FR BK        |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*6          |          | IP20         |



PRD-P 1002-6

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | 590x560x350     | Material | iron+acrylic |
| Color                    | BK FR BK        |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*6          |          | IP20         |



**PRD-P 1001A-8**

Size 900x272x1000 Material iron+acrylic

Color BK FR BK

Installation surface mounted

Light Source/ Lampholder GX53\*8 IP20

**PRD-C 1001-2+2**

Size 650x430x300 Material iron+acrylic

Color BK FR BK

Installation surface mounted

Light Source/ Lampholder GX53\*4 IP20

**LIGHT OF DESIGN****CREATIVE STAR PROJECTION LIGHT**



PRD-C 1001-3+3

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | 590x560x300     | Material | iron+acrylic |
| Color                    | BK FR BK        |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*6          |          | IP20         |



PRD-C 1002-4+4

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | D790x350        | Material | iron+acrylic |
| Color                    | BK FR BK        |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*8          |          | IP20         |





PRD-C 1001-6

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | D665x1000       | Material | iron+acrylic |
| Color                    | BK              |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*6          |          | IP20         |



PRD-P 1001A-4

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | 500x272x1000    | Material | iron+acrylic |
| Color                    | BK FR BK        |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*4          |          | IP20         |



PRD-C 1001-6B

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | D720x1000       | Material | iron+acrylic |
| Color                    | BK              |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*4          |          | IP20         |



PRD-P 1001A-4

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | 700x272x1000    | Material | iron+acrylic |
| Color                    | BK FR BK        |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*6          |          | IP20         |



Paradizo



PRD-C G0158

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:270X120X320

Color:BK GD



4000K



PRD-C G0159

MODE:2.4G remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:1040x120x180

Color: BK GD



4000K



PRD-C G0160

MODE:IR remote control

LED:CRI 80 75-95LM/W

24Wx2




3000K

Material:aluminum+iron+silica gel

Size:275X1550

Color: BK GD



4000K

Paradizo





PRD-C G0155

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:430X210X160



4000K

Color:BK GD



PRD-C G0155

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:430X210X160



4000K

Color: WH GD





PRD-C G0156

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:450X120X220

4000K

Color:GD BK



PRD-C G0157

MODE:IR remote control

LED:CRI 80 75-95LM/W



3000K

Material:aluminum+iron+silica gel

Size:555X80X135

4000K

Color: BK GD





Paradizo®

HEALTHY  
AND COMFORTABLE

Lamps Parameter

to create a comfortable lighting for you  
in northern Europe

Paradizo®



PRD-W G0144 300

|              |                    |          |           |
|--------------|--------------------|----------|-----------|
| Size         | 300x25x60          | Material | aluminium |
| Color        | BK                 |          |           |
| Installation | recessed downlight |          |           |



PRD-W G0144 300

|              |                    |          |           |
|--------------|--------------------|----------|-----------|
| Size         | 300x25x60          | Material | aluminium |
| Color        | CF                 |          |           |
| Installation | recessed downlight |          |           |



PRD-W PRD-W G0144 600

|              |                    |          |           |
|--------------|--------------------|----------|-----------|
| Size         | 600x25x60          | Material | aluminium |
| Color        | BK                 |          |           |
| Installation | recessed downlight |          |           |



PRD-W G0144 600

|              |                    |          |           |
|--------------|--------------------|----------|-----------|
| Size         | 600x25x60          | Material | aluminium |
| Color        | OR                 |          |           |
| Installation | recessed downlight |          |           |



PRD-W G0144 900

|              |                    |          |           |
|--------------|--------------------|----------|-----------|
| Size         | 900x25x60          | Material | aluminium |
| Color        | BK                 |          |           |
| Installation | recessed downlight |          |           |



PRD-W G0144 900

|              |                    |          |           |
|--------------|--------------------|----------|-----------|
| Size         | 900x25x60          | Material | aluminium |
| Color        | GY                 |          |           |
| Installation | recessed downlight |          |           |



PRD-W G0144 1200

|              |                    |          |           |
|--------------|--------------------|----------|-----------|
| Size         | 1200x25x60         | Material | aluminium |
| Color        | BK                 |          |           |
| Installation | recessed downlight |          |           |



PRD-W G0144 1200

|              |                    |          |           |
|--------------|--------------------|----------|-----------|
| Size         | 1200x25x60         | Material | aluminium |
| Color        | GD                 |          |           |
| Installation | recessed downlight |          |           |



PRD-W G0144 1200

|              |                    |          |           |
|--------------|--------------------|----------|-----------|
| Size         | 1200x25x60         | Material | aluminium |
| Color        | BK                 |          |           |
| Installation | recessed downlight |          |           |

Paradizo®



HEALTHY  
AND COMFORTABLE

Lamps Parameter

...to create a comfortable lighting for you  
in northern Europe



PRD-W G0145 612

Size D60x612 Material aluminium



PRD-W G0145 805

Size D60x805 Material aluminium



PRD-W G0145 810

Size D60x810 Material aluminium



PRD-W G0147 625

Size D60x625 Material aluminium



PRD-W G0146

Size 300x25x60 Material aluminium



PRD-W G0146

Size 600x25x60 Material aluminium



# Paradizo®

## Zhongshan Paradise Lighting Co.,Ltd.



Wechat Contact



Mob: +86-13424525552 Joe Zhou

+86-18824737879 Esther Wong

Web: [www.paradiselighting.cn](http://www.paradiselighting.cn)

Tel: +86-0760-22369766

E-mail: [welcome@paradiselighting.cn](mailto:welcome@paradiselighting.cn)

Showroom Add: NO.1127, Area B, Lihe Lighting Expo Centre, Guzhen Town, Zhongshan City,  
Guangdong Province, China

Factory Add: Floor 3, Building C, Gangnan Fitting Market, Guzhen Town, Zhongshan City,  
Guangdong Province, China

## Nothing can be comparative

*Downlight 202411*







PRD-G 0143

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D94x33             | Material | aluminium |
| Color                    | SB GU              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |

Paradizo



PRD-G 0134

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D97x33             | Material | aluminium |
| Color                    | BK CH              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0134

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D97x33             | Material | aluminium |
| Color                    | WH GU              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0134

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D97x33             | Material | aluminium |
| Color                    | WH PS              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0135

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | WH GU              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0134

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | WH PS              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0135

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | WH GU              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |

Paradizo



PRD-G 0136

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | GU                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0137

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | PS CH              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0138

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | GU CH              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0138

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | WH GU              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0139

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | CH GU              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0139

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | PS GU              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |




PRD-G 0139

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | PS GD              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0139

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | GU GD              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0139

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | GD GU              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0140

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | PS GD              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



PRD-G 0141

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | PS GU              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |




PRD-G 0142

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D96x33             | Material | aluminium |
| Color                    | WH GU              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP20     |           |



SOFT  
AND COMFORTABLE

Downlight



PRD-G 0150R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D80x65             | Material | aluminium |
| Color                    | BK                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0150R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D80x65             | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0150S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 80x80x50           | Material | aluminium |
| Color                    | BK                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



PRD-G 0151S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 80x80x50           | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



PRD-G 0150S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 80x80x95           | Material | aluminium |
| Color                    | PS GD              | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0150S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 80x80x95           | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0151R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D80x80             | Material | aluminium |
| Color                    | BK                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



PRD-G 0151R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D80x80             | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



PRD-G 0151R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D80x50             | Material | aluminium |
| Color                    | BK                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0151R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D80x50             | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



PRD-G 0151S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 80x80x84           | Material | aluminium |
| Color                    | BK                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



PRD-G 0151S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 80x80x84           | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



PRD-G 0152

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D65x90             | Material | aluminium |
| Color                    | BK                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



PRD-G 0152

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D65x90             | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



PRD-G 0151R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D80x100            | Material | aluminium |
| Color                    | BK                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



PRD-G 0150R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D80x95             | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0151R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D80x84             | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



IP44· PROTECTION RATING



PRD-G 0152R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D85x25             | Material | aluminium |
| Color                    | BK                 | Hole Cut | D58       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0152R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D85x25             | Material | aluminium |
| Color                    | WH                 | Hole Cut | D58       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0152S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 85x85x25           | Material | aluminium |
| Color                    | BK                 | Hole Cut | D58       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0152S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 85x85x25           | Material | aluminium |
| Color                    | WH                 | Hole Cut | D58       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0153R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D84x23             | Material | aluminium |
| Color                    | WH                 | Hole Cut | D58       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0153R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D84x23             | Material | aluminium |
| Color                    | BK                 | Hole Cut | D58       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0153S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 92x92x23           | Material | aluminium |
| Color                    | BK                 | Hole Cut | D58       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0153S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 92x92x23           | Material | aluminium |
| Color                    | WH                 | Hole Cut | D58       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0154S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 99x99x45           | Material | aluminium |
| Color                    | BK                 | Hole Cut | D82       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP65     |           |



PRD-G 0154S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 99x99x45           | Material | aluminium |
| Color                    | WH                 | Hole Cut | D82       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0154R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D97x25             | Material | aluminium |
| Color                    | BK                 | Hole Cut | D78       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | Ip44     |           |



PRD-G 0154S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 85x85x25           | Material | aluminium |
| Color                    | WH                 | Hole Cut | D78       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0154S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 97x97x20           | Material | aluminium |
| Color                    | BK                 | Hole Cut | D82       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |



PRD-G 0154S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 97x97x30           | Material | aluminium |
| Color                    | BK                 | Hole Cut | D82       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | Ip44     |           |



PRD-G 0154S

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 97x97x30           | Material | aluminium |
| Color                    | WH                 | Hole Cut | D82       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               | IP44     |           |





PRD4930

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 103x80x22          | Material | aluminium |
| Color                    | BK                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4930

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 103x80x38          | Material | aluminium |
| Color                    | BK FR BK           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD49300151R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 103x80x47          | Material | aluminium |
| Color                    | BK FR BK           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10*3             |          |           |



PRD4930

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 103x80x67          | Material | aluminium |
| Color                    | BK FR BK           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4930

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 103x80x22          | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4930

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 103x80x38          | Material | aluminium |
| Color                    | WH FR WH           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4930

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 103x80x47          | Material | aluminium |
| Color                    | WH FR WH           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4930

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 103x80x67          | Material | aluminium |
| Color                    | WH FR WH           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4931

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90x22              | Material | aluminium |
| Color                    | BK                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4931

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90X38              | Material | aluminium |
| Color                    | BK                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD-G 0151R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90X47              | Material | aluminium |
| Color                    | BK FR BK           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10*3             |          |           |



PRD-G 0151R

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90X67              | Material | aluminium |
| Color                    | BK FR BK           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4931

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90x22              | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4931

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90X38              | Material | aluminium |
| Color                    | WH FR WH           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4931

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90X47              | Material | aluminium |
| Color                    | BK FR BK           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4931

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90X67              | Material | aluminium |
| Color                    | BK FR BK           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |





PRD4932

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90x90x22           | Material | aluminium |
| Color                    | BK                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4932

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90x90x38           | Material | aluminium |
| Color                    | BK FR BK           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4932

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90x90x47           | Material | aluminium |
| Color                    | BK FR BK           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4932

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90x90x67           | Material | aluminium |
| Color                    | BK FR BK           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4932

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90x90x22           | Material | aluminium |
| Color                    | WH                 | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4932

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90x90x38           | Material | aluminium |
| Color                    | WH FR WH           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4932

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90x90x47           | Material | aluminium |
| Color                    | WH FR WH           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD4932

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | 90x90x67           | Material | aluminium |
| Color                    | WH FR WH           | Hole Cut | D65       |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10               |          |           |



PRD-W 0994

|                          |                    |                |               |
|--------------------------|--------------------|----------------|---------------|
| Size                     | 160x80x175         | Material       | iron+aluminum |
| Color                    | BK WH              | Rotation angle | 180°          |
| Installation             | recessed downlight |                |               |
| Light Source/ Lampholder | GU10*1             |                |               |



PRD-C 0994A-1 11W\*2

|                          |                    |                |                       |
|--------------------------|--------------------|----------------|-----------------------|
| Size                     | D230x193           | Material       | iron+aluminum+acrylic |
| Color                    | BK WH              | Rotation angle | 180°                  |
| Installation             | recessed downlight |                |                       |
| Light Source/ Lampholder | GU10*2             |                |                       |



PRD-C 0994A-3 15Wx2

|                          |                    |          |                       |
|--------------------------|--------------------|----------|-----------------------|
| Size                     | D292x193           | Material | iron+aluminum+acrylic |
| Color                    | BK WH              |          |                       |
| Installation             | recessed downlight |          |                       |
| Light Source/ Lampholder | GU10               |          |                       |





PRD-P 0994-1

|                          |                    |          |               |
|--------------------------|--------------------|----------|---------------|
| Size                     | D100x1000          | Material | iron+aluminum |
| Color                    | BK WH              |          |               |
| Installation             | recessed downlight |          |               |
| Light Source/ Lampholder | GU10*1             |          |               |



PRD-P 0994-1

|                          |                    |          |               |
|--------------------------|--------------------|----------|---------------|
| Size                     | 900x70x1000        | Material | iron+aluminum |
| Color                    | BK WH              |          |               |
| Installation             | recessed downlight |          |               |
| Light Source/ Lampholder | GU10*5             |          |               |



PRD-P 0994-3

|                          |                    |          |           |
|--------------------------|--------------------|----------|-----------|
| Size                     | D250x1000          | Material | aluminium |
| Color                    | BK WH              |          |           |
| Installation             | recessed downlight |          |           |
| Light Source/ Lampholder | GU10*3             |          |           |



PRD-P 0994-6

|                          |                    |          |               |
|--------------------------|--------------------|----------|---------------|
| Size                     | D650x1000          | Material | iron+aluminum |
| Color                    | BK WH              |          |               |
| Installation             | recessed downlight |          |               |
| Light Source/ Lampholder | GU10*6             |          |               |



PRD-C 0994-2  
Size 400x100x220 Material iron+aluminum  
Color BK WH  
Installation surface mounted downlight



PRD-C 0994-2  
Size 400x100x220 Material iron+aluminum  
Color BK WH  
Installation surface mounted downlight

PRD-C 0994-2  
Size 400x100x220 Material iron+aluminum  
Color BK WH  
Installation surface mounted downlight



Multiple angles

Change according to demand

Adjustable up and down 90°






Adjustable up and down 30°

PRD-C 1003B-6

|                          |             |          |              |
|--------------------------|-------------|----------|--------------|
| Size                     | 695x632x440 | Material | iron+acrylic |
| Light Source/ Lampholder | GU10        |          |              |



PRD-C 1003B-2

|                          |             |          |              |
|--------------------------|-------------|----------|--------------|
| Size                     | 250x100X350 | Material | iron+acrylic |
| Light Source/ Lampholder | GU10        |          |              |

PRD-C 1003B-31003A-1

|                          |          |          |              |
|--------------------------|----------|----------|--------------|
| Size                     | D250x482 | Material | iron+acrylic |
| Light Source/ Lampholder | GU10     |          |              |



Paradizo



PRD-C 1003

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | 100x129x138        | Material | iron+acrylic |
| Color                    | BK                 |          |              |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | IP20     |              |



PRD-C 1003A-3

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | D290x170           | Material | iron+acrylic |
| Color                    | BK FR              |          |              |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | Ip44     |              |



PRD-C 1003-2

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | 313x100x197        | Material | iron+acrylic |
| Color                    | BK                 | Hole Cut | D82          |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | IP65     |              |



PRD-C 1003A-1

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | D230x170           | Material | iron+acrylic |
| Color                    | BK FR              |          |              |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | IP20     |              |



PRD-C 1003A-5

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | D400x170           | Material | iron+acrylic |
| Color                    | BK FR              |          |              |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | IP65     |              |



PRD-C 1003-3

|                          |                    |          |              |
|--------------------------|--------------------|----------|--------------|
| Size                     | 755x100x165        | Material | iron+acrylic |
| Color                    | BK                 | Hole Cut | D82          |
| Installation             | recessed downlight |          |              |
| Light Source/ Lampholder | GU10               | IP65     |              |

Paradizo



PRD-SP 4920S

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D60x120            | Material | aluminum |
| Color                    | BK                 |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |



PRD-SP 4924

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D54x210            | Material | aluminum |
| Color                    | BK GD              |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |



PRD-SP 4924

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D54x210            | Material | aluminum |
| Color                    | GD                 |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |



PRD-SP 4925

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D84x220            | Material | aluminum |
| Color                    | GD                 |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |

Simple creative chandelier

A variety of styles are available







PRD-G 0127P

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D54x250            | Material | aluminum |
| Color                    | BK KGD FR          |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |



PRD-G 0128P

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D54x250            | Material | aluminum |
| Color                    | WH OR FR           |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |



PRD-G 0131P

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D55x250            | Material | aluminum |
| Color                    | WH CL              |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |



PRD-G 0132P

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D55x250            | Material | aluminum |
| Color                    | GD CL              |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |



PRD-G 0129P

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D54x250            | Material | aluminum |
| Color                    | WH BK FR           |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |



PRD-G 0130P

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D55x250            | Material | aluminum |
| Color                    | BK CL              |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |



PRD-G 0133

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D55x250            | Material | aluminum |
| Color                    | SL CL              |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |



PRD-SP 4920S

|                          |                    |          |          |
|--------------------------|--------------------|----------|----------|
| Size                     | D60x120            | Material | aluminum |
| Color                    | WH                 |          |          |
| Installation             | recessed downlight |          |          |
| Light Source/ Lampholder | Gu10               |          |          |



PRD-W 1001

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 160x83x155 | Material     | iron+acrylic    |
| Color                    | BK FR BK   | Installation | surface mounted |
| Light Source/ Lampholder | GX53       | IP20         |                 |



PRD-C 1001A-2

|                          |           |              |                 |
|--------------------------|-----------|--------------|-----------------|
| Size                     | 300x83x93 | Material     | iron+acrylic    |
| Color                    | BK FR BK  | Installation | surface mounted |
| Light Source/ Lampholder | GX53*2    | IP20         |                 |



PRD-C 1001A-3

|                          |           |              |                 |
|--------------------------|-----------|--------------|-----------------|
| Size                     | 400x83x93 | Material     | iron+acrylic    |
| Color                    | BK FR BK  | Installation | surface mounted |
| Light Source/ Lampholder | GX53*3    | IP20         |                 |



PRD-C 1001R-3

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D300x93  | Material     | iron+acrylic    |
| Color                    | BK FR BK | Installation | surface mounted |
| Light Source/ Lampholder | GX53*3   | IP20         |                 |



PRD-C 1001S-4

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 300x300x93 | Material     | iron+acrylic    |
| Color                    | BK FR BK   | Installation | surface mounted |
| Light Source/ Lampholder | GX53*4     | IP20         |                 |



Paradizo®

LED surface mounted downlights

NO-PUNCH



Paradizo



PRD-G 0140

|                          |        |              |                 |
|--------------------------|--------|--------------|-----------------|
| Size                     | D84x68 | Material     | aluminium       |
| Color                    | BK     | Installation | surface mounted |
| Light Source/ Lampholder | GX53   |              | IP65            |



PRD4927

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D85x88   | Material     | aluminium       |
| Color                    | BK FR BK | Installation | surface mounted |
| Light Source/ Lampholder | GX53     |              | IP20            |



PRD4928+PCP片

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D85x80   | Material     | iron+acrylic    |
| Color                    | BK FR BK | Installation | surface mounted |
| Light Source/ Lampholder | Gx53     |              | IP20            |



PRD-G 0140

|                          |        |              |                 |
|--------------------------|--------|--------------|-----------------|
| Size                     | D84x68 | Material     | aluminium       |
| Color                    | WH     | Installation | surface mounted |
| Light Source/ Lampholder | GX53   |              | IP65            |



PRD4927

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D300x93  | Material     | aluminium       |
| Color                    | WH FR WH | Installation | surface mounted |
| Light Source/ Lampholder | GX53     |              | IP20            |



PRD4928+PC片

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D85x80   | Material     | iron+acrylic    |
| Color                    | WH FR WH | Installation | surface mounted |
| Light Source/ Lampholder | GX53     |              | IP20            |



PRD4928+PC片

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D84x68   | Material     | aluminium       |
| Color                    | BK WH FR | Installation | surface mounted |
| Light Source/ Lampholder | GX53     |              | IP65            |



PRD4928+PC片

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D84x68   | Material     | aluminium       |
| Color                    | WH BK FR | Installation | surface mounted |
| Light Source/ Lampholder | GX53     |              | IP65            |

Paradizo



PRD4927R

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D105x60  | Material     | aluminium       |
| Color                    | BK FR BK | Installation | surface mounted |
| Light Source/ Lampholder | GX53     | Hole Cut     | : D88           |



PRD4927R

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D105x60  | Material     | aluminium       |
| Color                    | WH FR WH | Installation | surface mounted |
| Light Source/ Lampholder | GX53     | Hole Cut     | : D88           |



PRD4927S

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 105x105x60 | Material     | iron+acrylic    |
| Color                    | BK FR BK   | Installation | surface mounted |
| Light Source/ Lampholder | GX53       | Hole Cut     | : D88           |



PRD4927S

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 105x105x60 | Material     | iron+acrylic    |
| Color                    | WH FR WH   | Installation | surface mounted |
| Light Source/ Lampholder | GX53       | Hole Cut     | : D88           |



PRD4928R+PC片

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D105x55  | Material     | aluminium       |
| Color                    | BK WH FR | Installation | surface mounted |
| Light Source/ Lampholder | GX53     | Hole Cut     | : D88           |



PRD4928R+PC片

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D105x55  | Material     | aluminium       |
| Color                    | WH BK FR | Installation | surface mounted |
| Light Source/ Lampholder | GX53     | Hole Cut     | : D88           |



PRD4928S+PC片

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 105x105x55 | Material     | aluminium       |
| Color                    | BK WH FR   | Installation | surface mounted |
| Light Source/ Lampholder | GX53       | IP20         |                 |



PRD4928S+PC片

|                          |            |              |                 |
|--------------------------|------------|--------------|-----------------|
| Size                     | 105x105x55 | Material     | aluminium       |
| Color                    | WH BK FR   | Installation | surface mounted |
| Light Source/ Lampholder | GX53       | IP20         |                 |





## PRD4929R

|                          |           |              |                 |
|--------------------------|-----------|--------------|-----------------|
| Size                     | D115x23mm | Material     | aluminium       |
| Color                    | BK        | Installation | surface mounted |
| Light Source/ Lampholder | GX53      | Hole Cut     | : D100          |



## PRD4929R

|                          |           |              |                 |
|--------------------------|-----------|--------------|-----------------|
| Size                     | D115x23mm | Material     | aluminium       |
| Color                    | WH        | Installation | surface mounted |
| Light Source/ Lampholder | GX53      | Hole Cut     | : D100          |



## PRD4929S

|                          |              |              |                 |
|--------------------------|--------------|--------------|-----------------|
| Size                     | 115x115x30mm | Material     | iron+acrylic    |
| Color                    | BK           | Installation | surface mounted |
| Light Source/ Lampholder | GX53         | Hole Cut     | : D100          |



## PRD4929S

|                          |           |              |                 |
|--------------------------|-----------|--------------|-----------------|
| Size                     | 120x120mm | Material     | aluminium       |
| Color                    | WH        | Installation | surface mounted |
| Light Source/ Lampholder | GX53      | Hole Cut     | : D100          |



PRD4933R

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D105x45  | Material     | aluminium       |
| Color                    | BK FR CL | Installation | surface mounted |
| Light Source/ Lampholder | GX53     | Hole Cut     | : D88           |



PRD4933R

|                          |             |              |                 |
|--------------------------|-------------|--------------|-----------------|
| Size                     | D105x45     | Material     | iron+acrylic    |
| Color                    | BK WH FR CL | Installation | surface mounted |
| Light Source/ Lampholder | GX53        | Hole Cut     | : D88           |



PRD4933R

|                          |           |              |                 |
|--------------------------|-----------|--------------|-----------------|
| Size                     | D105x45   | Material     | aluminium       |
| Color                    | BK FR TEA | Installation | surface mounted |
| Light Source/ Lampholder | GX53      | Hole Cut     | : D88           |



PRD4933R

|                          |              |              |                 |
|--------------------------|--------------|--------------|-----------------|
| Size                     | D105x45      | Material     | aluminium       |
| Color                    | WH BK FR TEA | Installation | surface mounted |
| Light Source/ Lampholder | GX53         | Hole Cut     | : D88           |



PRD4933R

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D105x45  | Material     | aluminium       |
| Color                    | WH FR CL | Installation | surface mounted |
| Light Source/ Lampholder | GX53     | Hole Cut     | : D88           |



PRD4933R

|                          |             |              |                 |
|--------------------------|-------------|--------------|-----------------|
| Size                     | D105x45     | Material     | aluminium       |
| Color                    | WH BK FR CL | Installation | surface mounted |
| Light Source/ Lampholder | GX53        | Hole Cut     | : D88           |



PRD4933R

|                          |           |              |                 |
|--------------------------|-----------|--------------|-----------------|
| Size                     | D105x45   | Material     | aluminium       |
| Color                    | WH FR TEA | Installation | surface mounted |
| Light Source/ Lampholder | GX53      | Hole Cut     | : D88           |



PRD4933R

|                          |              |              |                 |
|--------------------------|--------------|--------------|-----------------|
| Size                     | D105x45      | Material     | aluminium       |
| Color                    | WH BK FR TEA | Installation | surface mounted |
| Light Source/ Lampholder | GX53         | Hole Cut     | : D88           |





PRD4933S

|                          |            |                |                 |
|--------------------------|------------|----------------|-----------------|
| Size                     | 105x105x45 | Material       | aluminium       |
| Color                    | BK FR CL   | Installation   | surface mounted |
| Light Source/ Lampholder | GX53       | Hole Cut : D88 |                 |



PRD4933S

|                          |             |                |                 |
|--------------------------|-------------|----------------|-----------------|
| Size                     | 105x105x45  | Material       | aluminium       |
| Color                    | BK WH FR CL | Installation   | surface mounted |
| Light Source/ Lampholder | GX53        | Hole Cut : D88 |                 |



PRD4933S

|                          |            |                |                 |
|--------------------------|------------|----------------|-----------------|
| Size                     | 105x105x45 | Material       | aluminium       |
| Color                    | BK FR TEA  | Installation   | surface mounted |
| Light Source/ Lampholder | GX53       | Hole Cut : D88 |                 |



PRD4933S

|                          |              |                |                 |
|--------------------------|--------------|----------------|-----------------|
| Size                     | 105x105x45   | Material       | aluminium       |
| Color                    | BK WH FR TEA | Installation   | surface mounted |
| Light Source/ Lampholder | GX53         | Hole Cut : D88 |                 |



PRD4933S

|                          |            |                |                 |
|--------------------------|------------|----------------|-----------------|
| Size                     | 105x105x45 | Material       | aluminium       |
| Color                    | WH FR CL   | Installation   | surface mounted |
| Light Source/ Lampholder | GX53       | Hole Cut : D88 |                 |



PRD4933S

|                          |             |                |                 |
|--------------------------|-------------|----------------|-----------------|
| Size                     | 105x105x45  | Material       | aluminium       |
| Color                    | WH BK FR CL | Installation   | surface mounted |
| Light Source/ Lampholder | GX53        | Hole Cut : D88 |                 |



PRD4933S

|                          |            |                |                 |
|--------------------------|------------|----------------|-----------------|
| Size                     | 105x105x45 | Material       | aluminium       |
| Color                    | WH FR TEA  | Installation   | surface mounted |
| Light Source/ Lampholder | GX53       | Hole Cut : D88 |                 |



PRD4933S

|                          |              |                |                 |
|--------------------------|--------------|----------------|-----------------|
| Size                     | 105x105x45   | Material       | aluminium       |
| Color                    | WH BK FR TEA | Installation   | surface mounted |
| Light Source/ Lampholder | GX53         | Hole Cut : D88 |                 |



PRD4933

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D85x56   | Material     | aluminium       |
| Color                    | BK FR CL | Installation | surface mounted |
| Light Source/ Lampholder | GX53     | Hole Cut     | : D88           |



PRD4933

|                          |             |              |                 |
|--------------------------|-------------|--------------|-----------------|
| Size                     | D85x56      | Material     | aluminium       |
| Color                    | BK WH FR CL | Installation | surface mounted |
| Light Source/ Lampholder | GX53        |              |                 |



PRD4933

|                          |           |              |                 |
|--------------------------|-----------|--------------|-----------------|
| Size                     | D85x56    | Material     | iron+acrylic    |
| Color                    | BK FR TEA | Installation | surface mounted |
| Light Source/ Lampholder | GX53      |              |                 |



PRD4933

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D85x56   | Material     | aluminium       |
| Color                    | WH BK FR | Installation | surface mounted |
| Light Source/ Lampholder | GX53     |              |                 |



PRD4933

|                          |          |              |                 |
|--------------------------|----------|--------------|-----------------|
| Size                     | D85x56   | Material     | aluminium       |
| Color                    | WH BK FR | Installation | surface mounted |
| Light Source/ Lampholder | GX53     |              |                 |



PRD4933

|                          |             |              |                 |
|--------------------------|-------------|--------------|-----------------|
| Size                     | D85x56      | Material     | aluminium       |
| Color                    | WH BK FR CL | Installation | surface mounted |
| Light Source/ Lampholder | GX53        |              |                 |



PRD4933

|                          |           |              |                 |
|--------------------------|-----------|--------------|-----------------|
| Size                     | D85x56    | Material     | aluminium       |
| Color                    | WH FR TEA | Installation | surface mounted |
| Light Source/ Lampholder | GX53      |              |                 |



PRD4933

|                          |              |              |                 |
|--------------------------|--------------|--------------|-----------------|
| Size                     | D85x80       | Material     | iron+acrylic    |
| Color                    | WH BK FR TEA | Installation | surface mounted |
| Light Source/ Lampholder | Gx53         |              |                 |





PRD-P 1002-8

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | 700x272x1000    | Material | iron+acrylic |
| Color                    | BK FR BK        | LED      | 30*30/4PCS   |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*6          | IP20     |              |



PRD-P 1002-6

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | 590x560x350     | Material | iron+acrylic |
| Color                    | BK FR BK        | LED      | 30*30/3PCS   |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*6          | IP20     |              |



PRD-C 1001-6

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | D665x1000       | Material | iron+acrylic |
| Color                    | BK              |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*6          |          | IP20         |



PRD-P 1001A-4

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | 500x272x1000    | Material | iron+acrylic |
| Color                    | BK FR BK        |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*4          |          | IP20         |



PRD-C 1001-6B

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | D720x1000       | Material | iron+acrylic |
| Color                    | BK              |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*4          |          | IP20         |



PRD-P 1001A-4

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | 700x272x1000    | Material | iron+acrylic |
| Color                    | BK FR BK        |          |              |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*6          |          | IP20         |



**PRD-P 1001A-8**

Size 900x272x1000 Material iron+acrylic

Color BK FR BK

Installation surface mounted

Light Source/ Lampholder GX53\*8 IP20

**PRD-C 1001-2+2**

Size 650x430x300 Material iron+acrylic

Color BK FR BK

Installation surface mounted

Light Source/ Lampholder GX53\*4 IP20

**LIGHT OF DESIGN****CREATIVE STAR PROJECTION LIGHT**



PRD-C 1001-3+3

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | 590x560x300     | Material | iron+acrylic |
| Color                    | BK FR BK        | LED      | 30*30/3PCS   |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*6          | IP20     |              |



PRD-C 1002-4+4

|                          |                 |          |              |
|--------------------------|-----------------|----------|--------------|
| Size                     | D790x350        | Material | iron+acrylic |
| Color                    | BK FR BK        | LED      | 30*30/4PCS   |
| Installation             | surface mounted |          |              |
| Light Source/ Lampholder | GX53*8          | IP20     |              |