



帝一铭照明
Number One Lighting

安装实景模拟






帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting :

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light
25W

Product model	DYM-TGD1025	product material	ABSplastic
Product Size	205*157*52MM	solar panel data	polysilicon6V/6W
chip quantity	high brightness 2835 chip114pcs	solar panel size	270*180*17MM
color temperature	10000K	battery type	3.2V/3600mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
40W

Product model	DYM-TGD1040	product material	ABSplastic
Product Size	247*200*68MM	solar panel data	polysilicon6V/8W
chip quantity		solar panel size	235*350*17MM
color temperature	10000K	battery type	3.2V/5000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
60W

Product model	DYM-TGD1060	product material	ABSplastic
Product Size	272*225*80MM	solar panel data	polysilicon6V/12W
chip quantity	high brightness 2835 chip281pcs	solar panel size	290*350*17MM
color temperature	10000K	battery type	3.2V/10000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
100W

Product model	DYM-TGD1100	product material	ABSplastic
Product Size	320*260*93MM	solar panel data	polysilicon6V/15W
chip quantity	high brightness 2835 chip381pcs	solar panel size	350*350*17MM
color temperature	10000K	battery type	3.2V/12000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
200W

Product model	DYM-TGD1200	product material	ABSplastic
Product Size	350*290*93MM	solar panel data	polysilicon6V/20W
chip quantity	high brightness 2835 chip571pcs	solar panel size	450*350*17MM
color temperature	10000K	battery type	3.2V/15000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
60W

Product model	DYM-TGD1060-1	product material	ABS塑料
Product Size	272*225*80MM	solar panel data	polysilicon6V/8W
chip quantity	high brightness 2835 chip281pcs	solar panel size	235*350*17MM
color temperature	10000K	battery type	3.2V/4500mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
经济款100W

Product model	DYM-TGD1100-1	product material	ABSplastic
Product Size	320*260*93MM	solar panel data	polysilicon6V/12W
chip quantity	high brightness 2835 chip187pcs	solar panel size	290*350*17MM
color temperature	10000K	battery type	3.2V/10000mAh
waterproof level	IP65	function	常亮



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light
10W

Product model	DYM-TGD1010	product material	ABSplastic
Product Size	131*131*35MM	solar panel data	polysilicon6V/3W
chip quantity	high brightness 2835 chip44pcs	solar panel size	130*215*17MM
color temperature	10000K	battery type	3.7V/1500mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
15W

Product model	DYM-TGD1015	product material	ABSplastic
Product Size	160*129*40MM	solar panel data	polysilicon6V/3W
chip quantity	high brightness 2835 chip100pcs	solar panel size	130*215*17MM
color temperature	10000K	battery type	3.2V/2000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
20W

Product model	DYM-TGD1020	product material	ABSplastic
Product Size	160*129*48MM	solar panel data	polysilicon6V/3W
chip quantity	high brightness 2835 chip31pcs	solar panel size	130*215*17MM
color temperature	10000K	battery type	3.7V/1500mAh
waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light
30W

Product model	DYM-TGD2030-1	product material	ABSplastic
Product Size	160*130*50MM	solar panel data	polysilicon6V/3W
chip quantity	high brightness 2835 chip72pcs	solar panel size	130*215*17MM
color temperature	10000K	battery type	3.2V/1200mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
30W

Product model	DYM-TGD2030	product material	ABSplastic
Product Size	160*130*50MM	solar panel data	polysilicon6V/6W
chip quantity	high brightness 2835 chip72pcs	solar panel size	180*270*17MM
color temperature	10000K	battery type	3.2V/4500mAh
waterproof level	IP65	function	Light control + remote control + time control




flood light
40W

Product model	DYM-TGD2040	product material	ABSplastic
Product Size	190*150*50MM	solar panel data	polysilicon 6V/8W
chip quantity	high brightness 2835 chip128pcs	solar panel size	235*350*17MM
color temperature	10000K	battery type	3.2V/5000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
60W

Product model	DYM-TGD2060	product material	ABSplastic
Product Size	240*180*50MM	solar panel data	polysilicon6V/12W
chip quantity	high brightness 2835 chip200pcs	solar panel size	290*350*17MM
color temperature	10000K	battery type	3.2V/8000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
100W

Product model	DYM-TGD2100	product material	ABSplastic
Product Size	260*200*50MM	solar panel data	polysilicon6V/15W
chip quantity	high brightness 2835 chip308pcs	solar panel size	350*350*17MM
color temperature	10000K	battery type	3.2V/12000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
200W

Product model	DYM-TGD2200	product material	ABSplastic
Product Size	300*240*55MM	solar panel data	polysilicon6V/18W
chip quantity	high brightness 2835 chip332pcs	solar panel size	400*350*17MM
color temperature	10000K	battery type	3.2V/15000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
300W

Product model	DYM-TGD2300	product material	ABSplastic
Product Size	350*280*75MM	solar panel data	polysilicon6V/25W
chip quantity	high brightness 2835 chip644pcs	solar panel size	530*350*17MM
color temperature	10000K	battery type	3.2V/18000mAh
waterproof level	IP65	function	Light control + remote control + time control




帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light
60W

Product model	DYM-TGD2030-1	product material	ABSplastic
Product Size	195*171*55MM	solar panel data	polysilicon6V/3W
chip quantity	high brightness 3030 chip23pcs	solar panel size	130*215*17MM
color temperature	10000K	battery type	3.7V/1.5mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
60W

Product model	DYM-TGD3060	product material	ABSplastic
Product Size	195*171*55MM	solar panel data	polysilicon6V/4W
chip quantity	high brightness 3030 chip23pcs	solar panel size	180*250*17MM
color temperature	10000K	battery type	3.2V/3mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
100W

Product model	DYM-TGD3100	product material	ABSplastic
Product Size	240*190*55MM	solar panel data	polysilicon6V/8W
chip quantity	high brightness 3030 chip39pcs	solar panel size	235*350*17MM
color temperature	10000K	battery type	3.2V/5000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
200W

Product model	DYM-TGD3200	product material	ABSplastic
Product Size	298*240*55MM	solar panel data	polysilicon6V/12W
chip quantity	high brightness 3030 chip77pcs	solar panel size	290*350*17MM
color temperature	10000K	battery type	3.2V/9mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
300W

Product model	DYM-TGD3300	product material	ABSplastic
Product Size	372*265*52MM	solar panel data	polysilicon6V/15W
chip quantity	high brightness 3030 chip105pcs	solar panel size	350*350*17MM
color temperature	10000K	battery type	3.2V/12mAh
waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light
100W

Product model	DYM-TGD4100	product material	ABSplastic
Product Size	242*224*52MM	solar panel data	polysilicon6V/15W
chip quantity	high brightness 2835 chip172pcs	solar panel size	350*350*17MM
color temperature	10000K	battery type	3.2V/12000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
200W

Product model	DYM-TGD4200	product material	ABSplastic
Product Size	300*260*60MM	solar panel data	polysilicon6V/18W
chip quantity	high brightness 2835 chip332pcs	solar panel size	400*350*17MM
color temperature	10000K	battery type	3.2V/15000mAh
waterproof level	IP65	function	Light control + remote control + time control



flood light
300W

Product model	DYM-TGD4300	product material	ABSplastic
Product Size	344*310*60MM	solar panel data	polysilicon6V/30W
chip quantity	high brightness 2835 chip524pcs	solar panel size	630*350*17MM
color temperature	10000K	battery type	3.2V/25000mAh
waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 25W	Product model	DYM-TGD5025	product material	ABSplastic
	Product Size	152*114*66MM	solar panel data	polysilicon6V/3W
	chip quantity	high brightness 3030 chip8pcs	solar panel size	130*215*17MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 40W	Product model	DYM-TGD5040	product material	ABSplastic
	Product Size	190*143*66MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 3030 chip18pcs	solar panel size	270*180*17MM
	color temperature	10000K	battery type	3.2V/3600mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 60W	Product model	DYM-TGD5060	product material	ABSplastic
	Product Size	250*191*66MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 3030 chip40pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/4500mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-TGD5100	product material	ABSplastic
	Product Size	300*224*66MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 3030 chip 60pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/8000mAh
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:


function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 50W	Product model	DYM-TGD6050	product material	ABSplastic
	Product Size	193*162*50MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835 chip194pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5000mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-TGD6100	product material	ABSplastic
	Product Size	236*202*65MM	solar panel data	polysilicon6V/10W
	chip quantity	high brightness 2835 chip216pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/8000mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 150W	Product model	DYM-TGD6150	product material	ABSplastic
	Product Size	260*223*76MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 2835 chip296pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/10000mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	DYM-TGD6200	product material	ABSplastic
	Product Size	307*262*86MM	solar panel data	polysilicon6V/18W
	chip quantity	high brightness 2835 chip500pcs	solar panel size	400*350*17MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 300W	Product model	DYM-TGD6300	product material	ABSplastic
	Product Size	337*290*84MM	solar panel data	polysilicon6V/30W
	chip quantity	high brightness 2835 chip668pcs	solar panel size	630*350*17MM
	color temperature	10000K	battery type	3.2V/25000mAh
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting :

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 100W	Product model	DYM-TGD7100	product material	ABSplastic
	Product Size	208*153*55MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835 chip164pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5000mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	DYM-TGD7200	product material	ABSplastic
	Product Size	253*190*55MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 2835 chip276pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 300W	Product model	DYM-TGD7300	product material	ABSplastic
	Product Size	301*226*55MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 2835 chip435pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 100W	Product model	DYM-TGD8100	product material	ABSplastic
	Product Size	208*152*56MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835 chip117pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5000mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	DYM-TGD8200	product material	ABSplastic
	Product Size	253*189*56MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 2835 chip221pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 300W	Product model	DYM-TGD8300	product material	ABSplastic
	Product Size	289*227*56MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 2835 chip357pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 15W	Product model	DYM-TGD10015	product material	ABSplastic
	Product Size	131*147*47MM	solar panel data	polysilicon6V/4W
	chip quantity	high brightness 2835 chip373pcs	solar panel size	250*180*17MM
	color temperature	10000K	battery type	3.7V/1200mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 25W	Product model	DYM-TGD10025	product material	ABSplastic
	Product Size	185*160*56MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 2835 chip688pcs	solar panel size	180*270*17MM
	color temperature	10000K	battery type	3.2V/8000mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 40W	Product model	DYM-TGD10040	product material	ABSplastic
	Product Size	220*195*71MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835 chip1400pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/4500mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 60W	Product model	DYM-TGD10060	product material	ABSplastic
	Product Size	220*245*80MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 2835 chip1509pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/6000mAh
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-TGD10100	product material	ABSplastic
	Product Size	300*260*90MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 2835 chip2350pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/8000mAh
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 25W	Product model	DYM-N01	product material	Die-cast aluminum
	Product Size	193*146*50MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 5730 chip60pcs	solar panel size	270*180*17MM
	color temperature	10000K	battery type	3.2V/3.6AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 40W	Product model	DYM-N02	product material	Die-cast aluminum
	Product Size	227*180*50MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 5730 chip80pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 60W	Product model	DYM-N03	product material	Die-cast aluminum
	Product Size	255*208*65MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 5730 chip120pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-N04	product material	Die-cast aluminum
	Product Size	300*250*75MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5730 chip210pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/12AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	335*270*80MM	product material	Die-cast aluminum
	Product Size	300*260*90MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 5730 chip400pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 25W	Product model	DYM-T01	product material	ABSplastic
	Product Size	208*159*55MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 2835 chip172pcs	solar panel size	270*180*17MM
	color temperature	10000K	battery type	3.2V/3.6AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 40W	Product model	DYM-T02	product material	ABSplastic
	Product Size	250*202*69MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835chip260pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 60W	Product model	DYM-T03	product material	ABSplastic
	Product Size	273*224*79MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 2835 chip330pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-T04	product material	ABSplastic
	Product Size	320*262*90MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 2835 chip600pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/12AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	DYM-T05	product material	ABSplastic
	Product Size	365*288*90MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 2835 chip900pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 25W	Product model	DYM-C01	product material	ABSplastic
	Product Size	211*168*50MM	solar panel data	polysilicon6V/2W
	chip quantity	high brightness 2835 chip140pcs	solar panel size	121*145MM
	color temperature	10000K	battery type	3.2V/1.2AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 40W	Product model	DYM-C02	product material	ABSplastic
	Product Size	244*194*50MM	solar panel data	polysilicon6V/4W
	chip quantity	high brightness 2835chip270pcs	solar panel size	180*250*17MM
	color temperature	10000K	battery type	3.2V/3AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 60W	Product model	DYM-C03	product material	ABSplastic
	Product Size	273*224*79MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 2835 chip270pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-C04	product material	ABSplastic
	Product Size	324*244*50MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835 chip585pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/6AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	DYM-C05	product material	ABSplastic
	Product Size	365*288*50MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 2835 chip600pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light
100W

Product model	DYM-F01	product material	ABSplastic
Product Size	249*199*66MM	solar panel data	polysilicon6V/6W
chip quantity	high brightness 2835chip114pcs	solar panel size	270*180*17MM
color temperature	10000K	battery type	3.2V/4.5AH Lithium iron phosphate
waterproof level	IP65	function	Light control + remote control + time control



flood light
200W

Product model	DYM-F02	product material	ABSplastic
Product Size	285*220*70MM	solar panel data	polysilicon6V/8W
chip quantity	high brightness 2835 chip182pcs	solar panel size	235*350*17MM
color temperature	10000K	battery type	3.2V/6AH Lithium iron phosphate
waterproof level	IP65	function	Light control + remote control + time control



flood light
300W

Product model	DYM-F03	product material	ABSplastic
Product Size	318*248*76MM	solar panel data	polysilicon6V/12W
chip quantity	high brightness 2835 chip232pcs	solar panel size	290*350*17MM
color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 100W	Product model	DYM-G01	product material	ABSplastic
	Product Size	249*199*66MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 2835chip233pcs	solar panel size	270*180*17MM
	color temperature	10000K	battery type	3.2V/4.5AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	DYM-G02	product material	ABSplastic
	Product Size	285*220*70MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835 chip344pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/6AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 300W	Product model	DYM-G03	product material	ABSplastic
	Product Size	318*248*76MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 2835 chip395pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 40W	Product model	DYM-U01	product material	Die-cast aluminum
	Product Size	244*194*65MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 5730chip81pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/6AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-U02	product material	Die-cast aluminum
	Product Size	255*284*65MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5730 chip174pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/12AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	DYM-U03	product material	Die-cast aluminum
	Product Size	309*344*65MM	solar panel data	polysilicon6V/25W
	chip quantity	high brightness 5730 chip440pcs	solar panel size	530*350*17MM
	color temperature	10000K	battery type	3.2V/20AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 100W	Product model	DYM-401	product material	ABSplastic
	Product Size	249*199*66MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 2835chip246pcs	solar panel size	270*180*17MM
	color temperature	10000K	battery type	3.2V/4.5AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	DYM-402	product material	ABSplastic
	Product Size	285*220*70MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835 chip318pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/6AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 300W	Product model	DYM-403	product material	ABSplastic
	Product Size	318*248*76MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 2835 chip474pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 25W	Product model	DYM-032	product material	ABSplastic
	Product Size	205*170*45MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 2835chip96pcs	solar panel size	270*180*17MM
	color temperature	10000K	battery type	3.2V/3.6AH Lithium iron phosphate
	waterproof level	IP66	function	Light control + remote control + time control



flood light 40W	Product model	DYM-033	product material	ABSplastic
	Product Size	255*210*48MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835chip160pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5AH Lithium iron phosphate
	waterproof level	IP67	function	Light control + remote control + time control



flood light 60W	Product model	DYM-034	product material	ABSplastic
	Product Size	299*255*45MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 2835chip240pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/8AH Lithium iron phosphate
	waterproof level	IP66	function	Light control + remote control + time control



flood light 100W	Product model	DYM-035	product material	ABSplastic
	Product Size	359*299*47MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 2835chip336pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/12AH Lithium iron phosphate
	waterproof level	IP66	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 50W	Product model	DYM-040	product material	Die-cast aluminum
	Product Size	195*152*40MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 5054chip40pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/8AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-041	product material	Die-cast aluminum
	Product Size	230*172*40MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5054chip60pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/12AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	DYM-042	product material	Die-cast aluminum
	Product Size	267*190*45MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 5054chip84pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 300W	Product model	DYM-043	product material	Die-cast aluminum
	Product Size	305*208*45MM	solar panel data	polysilicon6V/25W
	chip quantity	high brightness 5054chip112pcs	solar panel size	530*350*17MM
	color temperature	10000K	battery type	3.2V/20AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 40W	Product model	DYM-036	product material	Die-cast aluminum
	Product Size	231*182*55MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 5730chip66pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5AH Lithium iron phosphate
	waterproof level	IP67	function	Light control + remote control + time control



flood light 60W	Product model	DYM-037	product material	Die-cast aluminum
	Product Size	225*206*65MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 5730chip86pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/9AH Lithium iron phosphate
	waterproof level	IP67	function	Light control + remote control + time control



flood light 100W	Product model	DYM-038	product material	Die-cast aluminum
	Product Size	302*248*70MM	solar panel data	polysilicon6V/18W
	chip quantity	high brightness 5730chip164pcs	solar panel size	400*350*17MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP67	function	Light control + remote control + time control



flood light 200W	Product model	DYM-039	product material	Die-cast aluminum
	Product Size	350*277*80MM	solar panel data	polysilicon6V/25W
	chip quantity	high brightness 5730chip280pcs	solar panel size	530*350*17MM
	color temperature	10000K	battery type	3.2V/20AH Lithium iron phosphate
	waterproof level	IP67	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 40W	Product model	DYM-045	product material	ABSplastic
	Product Size	211*180*53MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 2835chip114pcs	solar panel size	270*180*15MM
	color temperature	10000K	battery type	3.2V/3.6AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 60W	Product model	DYM-046	product material	ABSplastic
	Product Size	245*220*55MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835chip183pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-047	product material	ABSplastic
	Product Size	272*245*59MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 2835chip281pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	DYM-048	product material	ABSplastic
	Product Size	320*290*61MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 2835chip381pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/12AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 300W	Product model	DYM-049	product material	ABSplastic
	Product Size	352*310*62MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 2835chip571pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/8AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 500W	Product model	DYM-050	product material	ABSplastic
	Product Size	405*350*64MM	solar panel data	polysilicon6V/25W
	chip quantity	high brightness 2835chip941pcs	solar panel size	530*350*17MM
	color temperature	10000K	battery type	3.2V/20AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 50W	Product model	DYM-051	product material	ABSplastic
	Product Size	200*160*53MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 5054chip45pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-052	product material	ABSplastic
	Product Size	270*198*53MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 5054chip93pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/8AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 180W	Product model	DYM-053	product material	ABSplastic
	Product Size	308*230*53MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 5054chip136pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 50W	Product model	DYM-057	product material	Stamping iron
	Product Size	225*167*52MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835chip354pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-058	product material	Stamping iron
	Product Size	270*200*60MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 2835chip510pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 180W	Product model	DYM-059	product material	Stamping iron
	Product Size	325*236*60MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 2835chip690pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



flood light 60W	Product model	DYM-054	product material	Stamping iron
	Product Size	225*167*52MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness COBchip6cs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/7AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 100W	Product model	DYM-055	product material	Stamping iron
	Product Size	270*200*60MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness COBchip6pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/12AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



flood light 200W	Product model	DYM-056	product material	Stamping iron
	Product Size	325*236*60MM	solar panel data	polysilicon6V/25W
	chip quantity	high brightness COBchip6pcs	solar panel size	530*350*17MM
	color temperature	10000K	battery type	3.2V/20AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



Small size	Product model	DYM-010	product material	ABSplastic
	Product Size	170*150*47MM	solar panel data	5V/1W
	chip quantity	high brightness 5730chip264pcs	solar panel size	93*93MM
	color temperature	10000K	battery type	3.7V/2AH Lithium iron phosphate
	220V charging time	3h	Lighting time	4h



Medium size	Product model	DYM-011	product material	ABSplastic
	Product Size	210*170*50MM	solar panel data	5V/2.5W
	chip quantity	high brightness 5730chip288pcs	solar panel size	163*123MM
	color temperature	10000K	battery type	3.7V/4AH Lithium iron phosphate
	220V charging time	3h	Lighting time	4h



Large size	Product model	DYM-012	product material	ABSplastic
	Product Size	271*242*55MM	solar panel data	5V/5W
	chip quantity	high brightness 5730chip 448pcs	solar panel size	225*194MM
	color temperature	10000K	battery type	3.7V/6AH Lithium iron phosphate
	220V charging time	3h	Lighting time	4h



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



Small size	Product model	DYM-007	product material	ABSplastic
	Product Size	140*75MM	solar panel data	5V/0.7W
	chip quantity	high brightness 5730chip 80pcs	solar panel size	70*70MM
	color temperature	10000K	battery type	3.7V/2AH Lithium iron phosphate
	220V charging time	3h	Lighting time	4h



Medium size	Product model	DYM-008	product material	ABSplastic
	Product Size	175*75MM	solar panel data	5V/1W
	chip quantity	high brightness 5730chip94pcs	solar panel size	93*93MM
	color temperature	10000K	battery type	3.7V/4AH Lithium iron phosphate
	220V charging time	3h	Lighting time	4h



Large size	Product model	DYM-009	product material	ABSplastic
	Product Size	200*75MM	solar panel data	5V/2W
	chip quantity	high brightness 5730chip 144pcs	solar panel size	120*120MM
	color temperature	10000K	battery type	3.7V/6AH Lithium iron phosphate
	220V charging time	3h	Lighting time	4h



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



Small size	Product model	DYM-060	product material	ABSplastic
	Product Size	170*138*66MM	solar panel data	6V/5W
	chip quantity	front:high brightness chip1W2pcs flank:2835chip160pcs	solar panel size	235*185MM
	color temperature	10000K	battery type	3.7V/3.6AH Lithium iron phosphate
	Product color	blue	Lighting time	front:1.5h flank:3h



Large size	Product model	DYM-060	product material	ABSplastic
	Product Size	170*138*66MM	solar panel data	6V/5W
	chip quantity	front:high brightness chip1W2pcs flank:2835chip160pcs	solar panel size	235*185MM
	color temperature	10000K	battery type	3.7V/3.6AH Lithium iron phosphate
	Product color	black	Lighting time	front:1.5h flank:3h



Small size	Product model	DYM-061	product material	ABSplastic
	Product Size	205*161*66MM	solar panel data	6V/8W
	chip quantity	front:high brightness chip1W2pcs flank:5730chip156pcs	solar panel size	235*350*15MM
	color temperature	10000K	battery type	3.7V/7.2AH Lithium iron phosphate
	Product color	blue	Lighting time	front:3.5h flank:5h



Large size	Product model	DYM-061	product material	ABSplastic
	Product Size	205*161*66MM	solar panel data	6V/8W
	chip quantity	front:high brightness chip1W2pcs flank:5730chip156pcs	solar panel size	235*350*15MM
	color temperature	10000K	battery type	3.7V/7.2AH Lithium iron phosphate
	Product color	black	Lighting time	front:3.5h flank:5h



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



280mm	Product model	DYM-013	product material	ABSplastic+iron
	Product Size	280*155MM	solar panel data	6V/6W
	chip quantity	high brightness 2835chip60pcs	solar panel size	270*180*17MM
	color temperature	10000K	battery type	3.2V/3.6AH Lithium iron phosphate
	Charging time	4-6h	function	Light control +remote control time control



350mm	Product model	DYM-014	product material	ABSplastic+iron
	Product Size	350*210MM	solar panel data	6V/8W
	chip quantity	high brightness 2835chip120pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5AH Lithium iron phosphate
	Charging time	4-6h	function	Light control +remote control time control



400mm	Product model	DYM-015	product material	ABSplastic+iron
	Product Size	400*220MM	solar panel data	6V/12W
	chip quantity	high brightness 2835chip 120pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/8AH Lithium iron phosphate
	Charging time	4-6h	function	Light control +remote control time control



450mm	Product model	DYM-016	product material	ABSplastic+iron
	Product Size	450*230MM	solar panel data	6V/15W
	chip quantity	high brightness 2835chip 246pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/12AH Lithium iron phosphate
	Charging time	4-6h	function	Light control +remote control time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 60W	Product model	DYM-WZDLD11060	product material	ABSplastic
	Product Size	390*194*58MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 5730 chip40pcs	solar panel size	301*187MM
	color temperature	10000K	battery type	3.2V/3500mAh
	waterproof level	IP65	function	Light control + radar sensor



street light 120W	Product model	DYM-WZDLD11120	product material	ABSplastic
	Product Size	485*218*58MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 5730 chip80pcs	solar panel size	397*211MM
	color temperature	10000K	battery type	3.2V/5000mAh
	waterproof level	IP65	function	Light control + radar sensor



street light 180W	Product model	DYM-WZDLD11180	product material	ABSplastic
	Product Size	624*230*58MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 5730 chip120pcs	solar panel size	507*231MM
	color temperature	10000K	battery type	3.2V/10000mAh
	waterproof level	IP65	function	Light control + radar sensor



street light 240W	Product model	DYM-WZDLD11240	product material	ABSplastic
	Product Size	725*240*58MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5730 chip160pcs	solar panel size	608*231MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control + radar sensor



street light 300W	Product model	DYM-WZDLD11300	product material	ABSplastic
	Product Size	822*240*58MM	solar panel data	polysilicon6V/18W
	chip quantity	high brightness 5730 chip200pcs	solar panel size	708*231MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control + radar sensor




帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light
100W

Product model	DYM-W01	product material	ABSplastic
Product Size	554*409*77MM	solar panel data	polysilicon6V/20W
chip quantity	high brightness 5730 chip636pcs	solar panel size	519*374MM
color temperature	10000K	battery type	3.2V/15AH
waterproof level	IP65	function	Light control+ radar sensor



street light
200W

Product model	DYM-W02	product material	ABSplastic
Product Size	754*411*77MM	solar panel data	polysilicon6V/30W
chip quantity	high brightness 5730 chip1028pcs	solar panel size	718*374MM
color temperature	10000K	battery type	3.2V/25AH
waterproof level	IP65	function	Light control+ radarsensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting;

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof;



street light
100W

Product model	DYM-W01	product material	ABSplastic
Product Size	262*515*68mm	solar panel data	polysilicon6V/12W
chip quantity	high brightness 2835 chip676pcs	solar panel size	250*508mm
color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
waterproof level	IP65	function	Light control + radar sensor



street light
200W

Product model	DYM-W02	product material	ABSplastic
Product Size	340*515*68mm	solar panel data	polysilicon6V/20W
chip quantity	high brightness 2835 chip852pcs	solar panel size	333*509mm
color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
waterproof level	IP65	function	Light control + radarsensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 360W-8+4头	Product model	DYM-701	product material	ABSplastic
	Product Size	542*350*72MM	solar panel data	polysilicon6V/18W
	chip quantity	high brightness 5730 chip560pcs	solar panel size	334*436MM
	color temperature	10000K	battery type	3.2V/12AH Lithium iron phosphate
	waterproof level	IP65	function	Light control+radar sensor



street light 480W-10+5头	Product model	DYM-702	product material	ABSplastic
	Product Size	615*350*72MM	solar panel data	polysilicon6V/23W
	chip quantity	high brightness 5730 chip700pcs	solar panel size	334*510MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP65	function	Light control+radar sensor



street light 600W-12+6头	Product model	DYM-703	product material	ABSplastic
	Product Size	730*350*72MM	solar panel data	polysilicon6V/28W
	chip quantity	high brightness 5730 chip840pcs	solar panel size	334*589MM
	color temperature	10000K	battery type	3.2V/20AH Lithium iron phosphate
	waterproof level	IP65	function	Light control+radar sensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 100W	Product model	DYM-004	product material	ABSplastic
	Product Size	477*66.5*362MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5730chip360pcs	solar panel size	335*360MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor



street light 200W	Product model	DYM-005	product material	ABSplastic
	Product Size	623*66.5*362MM	solar panel data	polysilicon6V/25W
	chip quantity	high brightness 5730chip480pcs	solar panel size	335*510MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor



street light 300W	Product model	DYM-006	product material	ABSplastic
	Product Size	706*66.5*362MM	solar panel data	polysilicon6V/30W
	chip quantity	high brightness 5730chip 600pcs	solar panel size	335*590MM
	color temperature	10000K	battery type	3.2V/20AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 100W	Product model	DYM-001	product material	ABSplastic
	Product Size	476*360*72MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5730chip444pcs	solar panel size	335*360MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor



street light 200W	Product model	DYM-002	product material	ABSplastic
	Product Size	626*360*72MM	solar panel data	polysilicon6V/25W
	chip quantity	high brightness 5730chip666pcs	solar panel size	335*510MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor



street light 300W	Product model	DYM-003	product material	ABSplastic
	Product Size	706*360*72MM	solar panel data	polysilicon6V/30W
	chip quantity	high brightness 5730chip 888pcs	solar panel size	335*590MM
	color temperature	10000K	battery type	3.2V/20AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 100W	Product model	DYM-Z01	product material	ABSplastic
	Product Size	390*130*56MM	solar panel data	polysilicon6V/5.5W
	chip quantity	high brightness 2835 chip281pcs	solar panel size	286*100MM
	color temperature	10000K	battery type	3.2V/3AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control+Switch



street light 120W	Product model	DYM-Z02	product material	ABSplastic
	Product Size	390*130*56MM	solar panel data	polysilicon6V/5.5W
	chip quantity	high brightness 3030 chip30pcs	solar panel size	286*100MM
	color temperature	10000K	battery type	3.2V/3AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + remote control + time control+Switch



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 60W	Product model	DYM-WZSLD12060	product material	ABSplastic
	Product Size	390*194*58MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 5730 chip70pcs	solar panel size	301*187MM
	color temperature	10000K	battery type	3.2V/3500mAh
	waterproof level	IP65	function	Light control + radar sensor



street light 120W	Product model	DYM-WZSLD12120	product material	ABSplastic
	Product Size	485*218*58MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 5730 chip140pcs	solar panel size	397*211MM
	color temperature	10000K	battery type	3.2V/5000mAh
	waterproof level	IP65	function	Light control + radar sensor



street light 180W	Product model	DYM-WZSLD12180	product material	ABSplastic
	Product Size	624*230*58MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 5730 chip210pcs	solar panel size	507*231MM
	color temperature	10000K	battery type	3.2V/10000mAh
	waterproof level	IP65	function	Light control + radar sensor



street light 240W	Product model	DYM-WZSLD12240	product material	ABSplastic
	Product Size	725*240*58MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5730 chip280pcs	solar panel size	608*231MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control + radar sensor



street light 300W	Product model	DYM-WZSLD12300	product material	ABSplastic
	Product Size	822*240*58MM	solar panel data	polysilicon6V/18W
	chip quantity	high brightness 5730 chip350pcs	solar panel size	708*231MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control + radar sensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:




street light
120W

	Product model	DYM-ZSLD13120	product material	ABSplastic
	Product Size	520*228*58MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 5730 chip140pcs	solar panel size	398*211*3MM
	color temperature	10000K	battery type	3.2V/5000mAh
	waterproof level	IP65	function	Light control+ radar sensor



street light
180W

	Product model	DYM-ZSLD13180	product material	ABSplastic
	Product Size	630*248*58MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 5730 chip210pcs	solar panel size	507*231*3MM
	color temperature	10000K	battery type	3.2V/10000mAh
	waterproof level	IP65	function	Light control+ radar sensor



street light
240W

	Product model	DYM-ZSLD13240	product material	ABSplastic
	Product Size	730*250*58MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5730 chip280pcs	solar panel size	607*234*3MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control+ radarsensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light
360W

Product model	DYM-BCLD14360	product material	ABSplastic
Product Size	445*342*75MM	solar panel data	polysilicon6V/18W
chip quantity	high brightness 5730 chip480pcs	solar panel size	360*335*3MM
color temperature	10000K	battery type	3.2V/15000mAh
waterproof level	IP65	function	Light control+ radar sensor



street light
480W

Product model	DYM-BCLD14480	product material	ABSplastic
Product Size	595*342*75MM	solar panel data	polysilicon6V/25W
chip quantity	high brightness 5730 chip640pcs	solar panel size	510*335*3MM
color temperature	10000K	battery type	3.2V/18000mAh
waterproof level	IP65	function	Light control+ radar sensor



street light
600W

Product model	DYM-BCLD14600	product material	ABSplastic
Product Size	675*342*75MM	solar panel data	polysilicon6V/30W
chip quantity	high brightness 5730 chip832pcs	solar panel size	590*335*3MM
color temperature	10000K	battery type	3.2V/25000mAh
waterproof level	IP65	function	Light control+ radar sensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light
60W

street light 60W	Product model	DYM-YSLD16060	product material	ABSplastic
	Product Size	384*207*57MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 5730 chip90pcs	solar panel size	301*187MM
	color temperature	10000K	battery type	3.2V/4500mAh
	waterproof level	IP65	function	Light control+ radarsensor



street light
120W

street light 120W	Product model	DYM-YSLD16120	product material	ABSplastic
	Product Size	476*235*57MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 5730 chip180pcs	solar panel size	397*211MM
	color temperature	10000K	battery type	3.2V/5000mAh
	waterproof level	IP65	function	Light control+ radar sensor



street light
180W

street light 180W	Product model	DYM-YSLD16180	product material	ABSplastic
	Product Size	618*256*57MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 5730 chip270pcs	solar panel size	507*231MM
	color temperature	10000K	battery type	3.2V/10000mAh
	waterproof level	IP65	function	Light control+ radarsensor



street light
240W

street light 240W	Product model	DYM-YSLD16240	product material	ABSplastic
	Product Size	720*256*57MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5730 chip360pcs	solar panel size	608*231MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control+ radarsensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 100W	Product model	DYM-DYSLD17100	product material	Die-cast aluminum
	Product Size	495*211*60MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 2835 chip381pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/10000mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light 200W	Product model	DYM-DYSLD17200	product material	Die-cast aluminum
	Product Size	495*211*60MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 2835 chip600pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light 300W	Product model	DYM-DYSLD17300	product material	Die-cast aluminum
	Product Size	495*211*60MM	solar panel data	polysilicon6V/30W
	chip quantity	high brightness 2835 chip1022pcs	solar panel size	630*350*17MM
	color temperature	10000K	battery type	3.2V/25000mAh
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 100W	Product model	DYM-SYSLD18100	product material	Die-cast aluminum
	Product Size	495*211*60MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 2835 chip678pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/10000mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light 200W	Product model	DYM-SYSLD18200	product material	Die-cast aluminum
	Product Size	495*211*60MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 2835 chip716pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light 300W	Product model	DYM-SYSLD18300	product material	Die-cast aluminum
	Product Size	495*211*60MM	solar panel data	polysilicon6V/30W
	chip quantity	high brightness 2835 chip1076pcs	solar panel size	630*350*17MM
	color temperature	10000K	battery type	3.2V/25000mAh
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 50W	Product model	DYM-TYSLD19050	product material	Stamping iron
	Product Size	495*211*60MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 3030 chip30pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/3600mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light 100W	Product model	DYM-TYSLD19100	product material	Stamping iron
	Product Size	495*211*60MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 3030 chip50pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/4500mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light 150W	Product model	DYM-TYSLD19150	product material	Stamping iron
	Product Size	495*211*60MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 3030 chip50pcs	solar panel size	350*350*17MM
	color temperature	10000K	battery type	3.2V/7000mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light 200W	Product model	DYM-TYSLD19200	product material	Stamping iron
	Product Size	495*211*60MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 3030 chip50pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/10000mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light 250W	Product model	DYM-TYSLD19250	product material	Stamping iron
	Product Size	495*211*60MM	solar panel data	polysilicon6V/25W
	chip quantity	high brightness 3030 chip50pcs	solar panel size	530*350*17MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light 300W	Product model	DYM-TYSLD19300	product material	Stamping iron
	Product Size	495*211*60MM	solar panel data	polysilicon6V/30W
	chip quantity	high brightness 3030 chip50pcs	solar panel size	630*350*17MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light 400W	Product model	DYM-TYSLD19400	product material	Stamping iron
	Product Size	495*211*60MM	solar panel data	polysilicon6V/35W
	chip quantity	high brightness 3030 chip50pcs	solar panel size	650*350*17MM
	color temperature	10000K	battery type	3.2V/20000mAh
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting :

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light
50W

Product model	DYM-AYSLD20050	product material	ABSplastic
Product Size	390*130*55MM	solar panel data	polysilicon6V/6W
chip quantity	high brightness 2835 chip281pcs	solar panel size	180*270*17MM
color temperature	10000K	battery type	3.2V/3600mAh
waterproof level	IP65	function	Light control + remote control + time control



street light
100W

Product model	DYM-AYSLD20100	product material	ABSplastic
Product Size	390*130*55MM	solar panel data	polysilicon6V/18W
chip quantity	high brightness 2835 chip600pcs	solar panel size	235*350*17MM
color temperature	10000K	battery type	3.2V/3600mAh
waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 50W	Product model	DYM-BJLD21050	product material	ABSplastic
	Product Size	230*460*55MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 2835 chip54pcs	solar panel size	170*275MM
	color temperature	10000K	battery type	3.2V/3600mAh
	waterproof level	IP65	function	Light control+radarsensor



street light 100W	Product model	DYM-BJLD211000	product material	ABSplastic
	Product Size	250*555*55MM	solar panel data	polysilicon6V/9W
	chip quantity	high brightness 2835 chip108pcs	solar panel size	174*379MM
	color temperature	10000K	battery type	3.2V/5000mAh
	waterproof level	IP65	function	Light control+radar sensor



street light 150W	Product model	DYM-BJLD21150	product material	ABSplastic
	Product Size	280*678*55MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 2835 chip162pcs	solar panel size	177*483MM
	color temperature	10000K	battery type	3.2V/10000mAh
	waterproof level	IP65	function	Light control+radar sensor



street light 200W	Product model	DYM-BJLD21200	product material	ABSplastic
	Product Size	287*798*55MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 2835 chip216pcs	solar panel size	178*600MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control+radarsensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light
100W

street light 100W	Product model	DYM-BXJGLD22100	product material	ABSplastic
	Product Size	458*363*78MM	solar panel data	polysilicon6V/18W
	chip quantity	high brightness 5730 chip706pcs	solar panel size	360*335MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control + radar sensor



street light
200W

street light 200W	Product model	DYM-BXJGLD22200	product material	ABSplastic
	Product Size	606*363*78MM	solar panel data	polysilicon6V/25W
	chip quantity	high brightness 5730 chip1186pcs	solar panel size	510*335MM
	color temperature	10000K	battery type	3.2V/18000mAh
	waterproof level	IP65	function	Light control + radar sensor



street light
300W

street light 300W	Product model	DYM-BXJGLD22300	product material	ABSplastic
	Product Size	688*363*78MM	solar panel data	polysilicon6V/30W
	chip quantity	high brightness 5730 chip1666pcs	solar panel size	590*335MM
	color temperature	10000K	battery type	3.2V/25000mAh
	waterproof level	IP65	function	Light control + radar sensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 300W	Product model	DYM-ZGLD23200	product material	ABSplastic
	Product Size	440*347*65MM	solar panel data	polysilicon6V/18W
	chip quantity	high brightness 5730 chip320pcs	solar panel size	330*398*34MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control+ radar sensor



street light 300W	Product model	DYM-ZGLD23300	product material	ABSplastic
	Product Size	440*347*65MM	solar panel data	polysilicon6V/18W
	chip quantity	high brightness 5730 chip280pcs	solar panel size	330*398*34MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control+ radar sensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light
120W

street light 120W	Product model	DYM-TJLD24120	product material	ABSplastic
	Product Size	490*232*57MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 2835 chip80pcs	solar panel size	396*212MM
	color temperature	10000K	battery type	3.2V/5000mAh
	waterproof level	IP65	function	Light control + radar sensor



street light
180W

street light 180W	Product model	DYM-TJLD24180	product material	ABSplastic
	Product Size	626*251*57MM	solar panel data	polysilicon6V/10W
	chip quantity	high brightness 2835 chip144pcs	solar panel size	507*231MM
	color temperature	10000K	battery type	3.2V/8000mAh
	waterproof level	IP65	function	Light control + radar sensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light
80W

street light 80W	Product model	DYM-BSJLD25180	product material	ABSplastic
	Product Size	468*298*65MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 5730 chip480pcs	solar panel size	378*288*3MM
	color temperature	10000K	battery type	3.2V/8000mAh
	waterproof level	IP65	function	Light control+ radar sensor



street light
240W

street light 240W	Product model	DYM-BSJLD25240	product material	ABSplastic
	Product Size	550*298*68MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5730 chip640pcs	solar panel size	460*288*3MM
	color temperature	10000K	battery type	3.2V/10000mAh
	waterproof level	IP65	function	Light control+ radar sensor



street light
300W

street light 300W	Product model	DYM-BSJLD25300	product material	ABSplastic
	Product Size	628*298*68MM	solar panel data	polysilicon6V/18W
	chip quantity	high brightness 5730 chip800pcs	solar panel size	538*288*3MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control+ radar sensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light
100W

street light 100W	Product model	DYM-MZLLD26100	product material	ABSplastic
	Product Size	324*101*56MM	solar panel data	polysilicon6V/3W
	chip quantity	high brightness 2835 chip148pcs	solar panel size	130*215*17MM
	color temperature	10000K	battery type	3.2V/1500mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light
200W

street light 200W	Product model	DYM-MZLLD26200	product material	ABSplastic
	Product Size	385*131*60MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 2835 chip308pcs	solar panel size	235*350*17MM
	color temperature	10000K	battery type	3.2V/5000mAh
	waterproof level	IP65	function	Light control + remote control + time control



street light
300W

street light 300W	Product model	DYM-MZLLD26300	product material	ABSplastic
	Product Size	480*213*65MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 2835 chip688pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/15000mAh
	waterproof level	IP65	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light
100W

street light 100W	Product model	DYM-022	product material	Metallic iron
	Product Size	500*210*70MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 3030chip135pcs	solar panel size	290*350*17MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP67	function	Light control + remote control + time control



street light
200W

street light 200W	Product model	DYM-023	product material	Metallic iron
	Product Size	500*210*70MM	solar panel data	polysilicon6V/20W
	chip quantity	high brightness 3030chip135pcs	solar panel size	450*350*17MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP67	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light
100W

Product model	DYM-024	product material	ABSplastic
Product Size	478*210*70MM	solar panel data	polysilicon6V/12W
chip quantity	high brightness 5054chip88pcs	solar panel size	290*350*17MM
color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
waterproof level	IP67	function	Light control + remote control + time control



street light
200W

Product model	DYM-025	product material	ABSplastic
Product Size	478*210*70MM	solar panel data	polysilicon6V/20W
chip quantity	high brightness 5054chip88pcs	solar panel size	450*350*17MM
color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
waterproof level	IP67	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 20W	Product model	DYM-026	product material	Die-cast aluminum
	Product Size	515*206*75MM	solar panel data	polysilicon6V/60W
	chip quantity	high brightness 5054chip60pcs	solar panel size	670*640*25MM
	color temperature	10000K	battery type	3.2V/40AH Lithium iron phosphate
	waterproof level	IP66	function	Light control + remote control + time control



street light 26W	Product model	DYM-027	product material	Die-cast aluminum
	Product Size	515*205*82MM	solar panel data	polysilicon6V/80W
	chip quantity	high brightness 5054chip60pcs	solar panel size	824*670*28MM
	color temperature	10000K	battery type	3.2V/60AH Lithium iron phosphate
	waterproof level	IP67	function	Light control + remote control + time control



street light 30W	Product model	DYM-028	product material	Die-cast aluminum
	Product Size	600*265*100MM	solar panel data	polysilicon6V/100W
	chip quantity	high brightness 5054chip100pcs	solar panel size	1000*670*28MM
	color temperature	10000K	battery type	3.2V/80AH Lithium iron phosphate
	waterproof level	IP66	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light
200W

street light 200W	Product model	DYM-017	product material	ABSplastic
	Product Size	550*63MM	solar panel data	polysilicon5V/20W
	chip quantity	high brightness 5730chip918pcs	solar panel size	416*346MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP67	function	Light control + remote control + time control



street light
400W

street light 400W	Product model	DYM-018	product material	ABSplastic
	Product Size	550*63MM	solar panel data	polysilicon5V/20W
	chip quantity	high brightness 5730chip918pcs	solar panel size	416*346MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP67	function	Light control + remote control + time control



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 50W	Product model	DYM-062	product material	ABSplastic
	Product Size	265*145*35MM	solar panel data	polysilicon6V/3W
	chip quantity	high brightness 5730chip96pcs	solar panel size	129*220MM
	color temperature	10000K	battery type	3.7V/0.8AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor



street light 100W	Product model	DYM-063	product material	ABSplastic
	Product Size	313*145*35MM	solar panel data	polysilicon6V/4.5W
	chip quantity	high brightness 5730chip144pcs	solar panel size	129*270MM
	color temperature	10000K	battery type	3.7V/1.5AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor



street light 200W	Product model	DYM-064	product material	ABSplastic
	Product Size	363*145*35MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 5730chip 192pcs	solar panel size	129*320MM
	color temperature	10000K	battery type	3.7V/2AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor



帝一铭照明

Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control--intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



street light 50W	Product model	DYM-065	product material	ABSplastic
	Product Size	540*398*85MM	solar panel data	polysilicon6V/18W
	chip quantity	high brightness 5054chip97pcs	solar panel size	335*360MM
	color temperature	10000K	battery type	3.2V/10AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor



street light 100W	Product model	DYM-066	product material	ABSplastic
	Product Size	658*398*85MM	solar panel data	polysilicon6V/25W
	chip quantity	high brightness 5054chip127pcs	solar panel size	510*335MM
	color temperature	10000K	battery type	3.2V/15AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor



street light 300W	Product model	DYM-067	product material	ABSplastic
	Product Size	590*335MM	solar panel data	polysilicon6V/30W
	chip quantity	high brightness 5054chip 172pcs	solar panel size	590*335MM
	color temperature	10000K	battery type	3.2V/20AH Lithium iron phosphate
	waterproof level	IP65	function	Light control + radar sensor




帝一铭照明


Number One Lighting

Applicable scenarios: outdoor, household, garden, road, community, billboard, sports venue, landscape lighting:

function: Press the AUTO button on the remote control-- intelligent light control [automatically turn on when dark, and automatically turn off when it is dawn] + rainproof:



ceiling light 12W 200大	Product model	DYM-YSLD16060	product material	ABSplastic
	Product Size	384*207*57MM	solar panel data	polysilicon6V/6W
	chip quantity	high brightness 5730 chip90pcs	solar panel size	301*187MM
	color temperature	10000K	battery type	3.2V/4500mAh
	waterproof level	IP65	function	Light control + radar sensor




ceiling light 18W 240大	Product model	DYM-YSLD16120	product material	ABSplastic
	Product Size	476*235*57MM	solar panel data	polysilicon6V/8W
	chip quantity	high brightness 5730 chip180pcs	solar panel size	397*211MM
	color temperature	10000K	battery type	3.2V/5000mAh
	waterproof level	IP65	function	Light control + radar sensor



ceiling light 22W 280大	Product model	DYM-YSLD16180	product material	ABSplastic
	Product Size	618*256*57MM	solar panel data	polysilicon6V/12W
	chip quantity	high brightness 5730 chip270pcs	solar panel size	507*231MM
	color temperature	10000K	battery type	3.2V/10000mAh
	waterproof level	IP65	function	Light control + radar sensor



ceiling light 32W 320大	Product model	DYM-YSLD16240	product material	ABSplastic
	Product Size	720*256*57MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5730 chip360pcs	solar panel size	608*231MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control + radar sensor



ceiling light 40W 380大	Product model	DYM-YSLD16240	product material	ABSplastic
	Product Size	720*256*57MM	solar panel data	polysilicon6V/15W
	chip quantity	high brightness 5730 chip360pcs	solar panel size	608*231MM
	color temperature	10000K	battery type	3.2V/12000mAh
	waterproof level	IP65	function	Light control + radar sensor