

SOLAR STREET LIGHT

XinTianYang



XTY-S8004 500W



XTY-S8003 XTY-S8012

XTY-S8004-01

XTY-S8004

XTY-S8004-50

Specification	Product size	Solar panel	LED	Battery	Lighting Area
8004-20W	350*100*55	6V8W	5730 130PCS	3.2V5A	30m²
8004-50W	390*140*60	6V15W	5730 153PCS	3.2V10A	50m²
8004-100W	500*210*70mm	5V25W	5730 274PCS	3.2V20AH	100m²
8004-200W	500*210*70mm	5V30W	5730 358PCS	3.2V25AH	150m²
8004-300W	500*210*100mm	5V35W	5730 430PCS	3.2V30AH	200m²
8004-500W	500*210*100mm	5V60W	5730 476PCS	3.2V50AH	300m²
8003-300W	520*265*82mm	5V35W	5730 384PCS	3.2V30AH	150m²
8012-400W	575*235*90mm	5V45W	5730 476PCS	3.2V40AH	200m²

Renovation of old solar street lights, Only replace the lamp head



Solar street light

Lamp body: aluminum Good heat dissipation
Split solar panel, panel power: 6-18V V40W-80W
Light source: 20W-50W
Suitable installation height: 3.5-8 meters
Suitable scenarios: parks, factories, rural urban roads, courtyards, scenic spots

1

SOLAR STREET LIGHT

XinTianYang



XTY-S8020



Control method:

1. Light control+time control
2. Light control+radar induction
3. Light control+time control+radar sensing

Lamp body material: Aluminum+PC

Charging time 4-6 hours, Lighting over 12 hours

Specification	Product size	Solar panel	LED	Battery	Lighting Area
8020-100W	512*206*45mm	5V25W	3535 104PCS	3.2V20AH	50m²
8020-200W	550*206*45mm	5V30W	5054 144PCS	3.2V25AH	100m²
8020-300W	550*206*45mm	5V40W	5054 144PCS	3.2V30AH	150m²
8020-500W	550*206*45mm	5V60W	5054 144PCS	3.2V50AH	200m²



XTY-S8011



Wall installation



Pole installation



Straight rod installation

Control method: Light control+time control

Lamp body material: Aluminum+PC

Charging time 4-6 hours, Lighting over 12 hours

Specification	Product size	Solar panel	LED	Battery	Lighting Area
8011-100W	510*215*80mm	5V25W	5054 56PCS	3.2V20AH	50m²
8011-200W	510*215*80mm	5V30W	5054 69PCS	3.2V25AH	100m²
8011-300W	590*220*90mm	5V40W	5054 81PCS	3.2V30AH	150m²
8011-500W	590*220*90mm	5V60W	5054 88PCS	3.2V50AH	200m²

2

SOLAR STREET LIGHT

XinTianYang



XTY-S8008



XTY-S8009

Lamp body material: Aluminum+PC
Charging time 4-6 hours, Lighting over 12 hours

Specification	Product size	Solar panel	LED	Battery	Lighting Area
100W	428*174*68mm	5V20W	3030 60PCS	3.2V15AH	50m ²
200W	428*174*68mm	5V30W	3030 100PCS	3.2V25AH	100m ²
300W	556*212*79mm	5V40W	3030 120PCS	3.2V35AH	150m ²
500W	644*232*80mm	5V60W	3030 150PCS	3.2V50AH	200m ²

SOLAR STREET LIGHT

XinTianYang
鑫天扬电器



XTY-S8013



XT-S8018
65.5x25x10cm

Specification	Product size	Solar panel	LED	Battery	Lighting Area
100W	520*210*90mm	5V20W	5054 60PCS	3.2V15AH	50m ²
200W	520*210*90mm	5V30W	5054 60PCS	3.2V25AH	100m ²
500W	600*252*90mm	5V60W	5054 100PCS	3.2V50AH	150m ²
600W	680*270*90mm	5V70W	5054 180PCS	3.2V60AH	200m ²



XTY-S8005
440*180*55MM
500*220*75MM

XTY-S8006

XTY-S8002

Specification	Product size	Solar panel	LED	Battery	Lighting Area
50W	500*210*75mm	5V20W	30W	3.2V15AH	50m ²
100W	720*280*80mm	5V30W	60W	3.2V25AH	100m ²
200W	860*300*80mm	5V40W	90W	3.2V35AH	150m ²
300W	950*330*80mm	5V60W	120W	3.2V50AH	200m ²
500W	1100*335*85mm	5V70W	150W	3.2V60W	200m ²



XT-L38

XT-L30

XT-L10

XTY-S8007

Solar panel: 6V40-120W
LED: 30-60W
Battery: 3.2V40A-100A
Color temperature: 3000K-6500K



Solar Flood Light

XTY-T105 Plastic+PC



Specification	Material	Product size	Solar panel	LED	Battery	Lighting Area
40W	Plastic+PC	170*140*55mm	6V8W	2835 60PCS	3.2V5AH	30m ²
60W	Plastic+PC	190*170*55mm	6V12W	2835 80PCS	3.2V10AH	50m ²
100W	Plastic+PC	235*180*55mm	6V18W	2835 144PCS	3.2V15AH	100m ²
300W	Plastic+PC	290*235*55mm	6V30W	2835 240PCS	3.2V25AH	200m ²
600W	Plastic+PC	363*260*55mm	6V60W	2835 320PCS	3.2V50AH	300m ²

XTY-T106



Aluminum+Glass

Specification	Product size	Solar panel	LED	Battery	Lighting Area
40W	193*146*50mm	6V8W	5730 54PCS	3.2V5AH	40m ²
60W	227*180*50mm	6V12W	5730 132PCS	3.2V10AH	60m ²
100W	255*208*65mm	6V18W	5054 55PCS	3.2V15AH	100m ²
200W	300*250*75mm	6V30W	5054 98PCS	3.2V25AH	150m ²
300W	335*270*80mm	6V40W	5054 171PCS	3.2V30AH	200m ²
500W	400*315*90mm	6V50W	5054 324PCS	3.2V45AH	300m ²
800W	500*360*90mm	6V80W	5054 420PCS	3.2V60AH	400m ²

XTY-T108 Aluminum+PC



Specification	Product size	Solar panel	LED	Battery	Lighting Area
50W	195*152*40mm	6V15W	5054 40PCS	3.2V10AH	50m ²
100W	230*172*40mm	6V20W	5054 60PCS	3.2V15AH	100m ²
200W	267*190*45mm	6V30W	5054 84PCS	3.2V25AH	150m ²
300W	305*208*45mm	6V40W	5054 112PCS	3.2V30AH	200m ²
500W	350*265*45mm	6V60W	5054 160PCS	3.2V50AH	300m ²

Solar Flood Light

XTY-T110 Aluminum+PC



Specification	Product size	Solar panel	LED	Battery	Lighting Area
50W	200*175*40mm	6V12W	5054 18PCS	3.2V10AH	50m ²
100W	250*225*40mm	6V18W	5054 36PCS	3.2V15AH	100m ²
150W	290*260*40mm	6V30W	5054 55PCS	3.2V25AH	150m ²
200W	320*295*40mm	6V50W	5054 72PCS	3.2V35AH	200m ²

Aluminum+PC XTY-T111



Specification	Product size	Solar panel	LED	Battery	Lighting Area
50W	215*185*45mm	6V12W	2835150PCS	3.2V10AH	50m ²
100W	255*217*45mm	6V20W	2835 240PCS	3.2V15AH	100m ²
200W	285*246*45mm	6V30W	2835 400PCS	3.2V25AH	150m ²
400W	335*285*45mm	6V50W	2835 600PCS	3.2V40AH	200m ²

Solar Flood Light

XTY-T112



Aluminum+Glass

Specification	Product size	Solar panel	LED	Battery	Lighting Area
25W	165*132*60mm	6V6W	2835 72PCS	3.2V5AH	20m²
40W	190*150*60mm	6V8W	2835 128PCS	3.2V5AH	30m²
60W	245*180*60mm	6V12W	2835 200PCS	3.2V10AH	50m²
100W	260*200*60mm	6V20W	2835 308PCS	3.2V15AH	100m²
200W	300*240*60mm	6V30W	2835 332PCS	3.2V25AH	150m²
300W	360*298*83mm	6V40W	2835 644PCS	3.2V35AH	200m²

XTY-T113 Plastic+PC



Specification	Product size	Solar panel	LED	Battery	Lighting Area
50W	213*253*53mm	6V12W	5730 224PCS	3.2V10H	50m²
100W	252*297*53mm	6V18W	5730 400PCS	3.2V15AH	100m²
200W	292*347*53mm	6V30W	5730 676PCS	3.2V25AH	150m²
300W	397*332*53mm	6V40W	5730 960PCS	3.2V35AH	200m²

Solar Flood Light

XTY-T114

Plastic+PC

Curved surface with large angle



Specification	Product size	Solar panel	LED	Battery	Lighting Area
100W	160*123*50mm	6V12W	5054 25PCS	3.2V10H	50m²
200W	223*234*62mm	6V20W	5054 63PCS	3.2V20AH	100m²
300W	297*234*62mm	6V30W	5054 116PCS	3.2V25AH	200m²



XTY-T115 Plastic+PC



Specification	Product size	Solar panel	LED	Battery	Lighting Area
50W	190*145*55mm	6V12W	5054 72PCS	3.2V10H	30m²
100W	233*181*65mm	6V18W	5054 96PCS	3.2V15AH	50m²
200W	265*200*70mm	6V30W	5054 192PCS	3.2V25AH	100m²

Curved surface with large angle XTY-T116 Plastic+PC



Product size	Solar panel	LED	Battery	Lighting Area
200*160*55mm	6V12W	5054 45PCS	3.2V10AH	50m²
270*200*58mm	6V18W	5054 93PCS	3.2V15AH	100m²
308*230*60mm	6V25W	5054 136PCS	3.2V20AH	150m²



Solar Flood Light

Specification	Product size	Solar panel	LED	Battery	Lighting Area
50W	246*222*52mm	6V15W	5054 56PCS	3.2V10AH	50m²
100W	285*242*65mm	6V20W	5054 68PCS	3.2V15AH	100m²
200W	316*278*75mm	6V25W	5054 105PCS	3.2V20AH	150m²
300W	370*308*75mm	6V40W	5054 175PCS	3.2V30AH	200m²

XTY-T120 Plastic+Glass



XTY-T109 Plastic+Glass




Plastic+Glass



Specification	Product size	Solar panel	LED	Battery
100W	195*156*71mm	6V15W	5730 192PCS	3.2V10AH
200W	245*205*75mm	6V20W	5730 306PCS	3.2V15AH

XTY-T121

Plastic+Glass
Aluminum+Glass



Specification	Product size	Solar panel	LED	Battery	Lighting Area
50W	207*183*54mm	6V20W	5730 91PCS	3.2V15AH	50m²
100W	250*225*69mm	6V30W	5730 171PCS	3.2V25AH	100m²
200W	278*252*77mm	6V40W	5730 235PCS	3.2V35AH	150m²
300W	320*286*83mm	6V50W	5730 283PCS	3.2V40AH	200m²

Solar Ceiling Lamp

太阳能吸顶灯




XT-S8861

XT-S8862

Specification	Product size	Solar panel	LED	Battery	Lighting Area
5W	D165 H70mm	6V6W	5730 60PCS	3.2V5AH	20m²
10W	D215 H90mm	6V10W	5730 90PCS	3.2V10AH	30m²
20W	D215 H90mm	6V20W	5730 90PCS	3.2V15AH	50m²

Solar Mining Lamp XT-S8822



Specification	Size	Solar panel	LED	Battery
20W	D280mm	6V12W	5730 54PCS	3.2V10AH
30W	D400 mm	6V18W	5730 110PCS	3.2V15AH
50W	D450mm	6V25W	5730 246PCS	3.2V20AH



XT-S801



Specification	Lampshade size	Solar panel	LED	Battery	Lighting Area
20W	D150 H145mm	6V10W	5730 20PCS	3.2V5AH	30m²
30W	D135 H155mm	6V15W	5730 20PCS	3.2V10AH	50m²
50W	D213 H237mm	6V20W	5730 20PCS	3.2V15AH	100m²





XT-S688

SIZE: 285*190*75MM



XT-S699

SIZE: 430*200*85MM

Aluminum products



XT-S690

552*282*130mm
657*325*130mm



XT-S691

793.5*370*156mm
983*416*156mm
1153.5*416*156mm

Plastic Products



XT-S611

SIZE: 485*220*54mm
623*239*54mm
723*239*54mm



XT-S622

SIZE: 520*230*55mm
630*245*55mm
730*250*55mm

SOLAR STREET LIGHT



XT-S623

SIZE: 447*342*70mm
597*342*70mm
677*342*70mm



XT-S624

SIZE: 350*80*450mm
350*80*600mm
350*80*680mm



XT-S625

SIZE: 288*132*55mm
410*170*55mm
530*178*55mm
622*178*55mm



XT-S629

SIZE: 485*218*55mm
612*238*55mm
713*240*55mm



XT-S627

SIZE: 460*230*55mm
555*250*55mm
678*280*55mm
798*287*55mm



XT-S628

SIZE: 292.2*158.5*48MM
343.7*158.5*48MM
395.2*158.5*48MM
446.7*158.5*48MM

XinTianYang

SOLAR LIGHT



XT-S626 SIZE:490*230*60MM
630*250*60MM

XT-S636



SIZE:548*340*72MM
SOLAR PANEL:6V25W
LED:5054 117PCS 5730
BATTERY:3.2V25AH



XT-S637

SIZE:548*340*72MM
SOLAR PANEL:6V25W
LED:5054 864PCS 5730
BATTERY:3.2V25AH



XT-S631 SIZE:525*385*82MM
645*385*82MM
840*385*82MM

XT-S638

580*385MM LED:180PCS
700*385MM LED:240PCS



XT-S640
SIZE:825*392mm



XT-S641
SIZE:1173*245mm

LED solar street light series

XinTianYang



..... XT-S667 XT-S666 XT-S668

XT-S669

XT-S670



XT-S671

XT-S672



XT-S673 XT-S674




XT-S675

XT-S676



SOLAR LIGHT

XinTianYang



SOLAR LIGHT


XinTianYang



Plastic



Mobile solar lights




XT-S8085

XT-S8086

XT-S8087

XT-S8088



PC
XT-S8089
550*550*260MM



PC
XT-S8090
650*330*260MM



XT-S8061
φ415*480MM



φ410*390MM
XT-S8062



XT-S8051



XT-S8052



XT-S8054



XT-S8058



SOLAR STREET LAMP

XinTianYang



XT-S102



XT-S103



XT-S104



XT-S105



XT-S106



XT-S107



XT-S110
GARDEN LAMP



XT-S111



XT-S112



XT-S113



XT-S115



XT-S116



XT-A181



XT-A182



XT-A183



XT-A184



XT-A185



XT-A186



XT-A187



XT-A188

XinTianYang

Solar garden light



XT-S2001B XT-S2003B XT-S2004B XT-S2031B XT-S2001-30CM XT-S2004-30CM XT-S2012-30CM



XT-S2001 XT-S2002 XT-S2004 XT-S2010 XT-S2018 XT-S2028 XT-S2030



XT-S2031 XT-S2012-2W XT-S3001-30CM XT-S3001 XT-S3002 XT-S3005 XT-S3007



XT-S2015D XT-S2004D XT-S2071 XT-S2072 XT-S2061 XT-S4006 XT-S4016 XT-S4089



XT-S3015 XT-S3030 XT-S3031 XT-S3032 XT-S3046 XT-S3048 XT-S3060 XT-S4043G

Solar garden light

XinTianYang
鑫天扬太阳能



XT-S6501 XT-S6502 XT-S6503 XT-S6504 XT-S6508 XT-S6511



XT-S6515



XT-S2303 XT-S2304 XT-S2316



XT-S2309 XT-S2310(2W) XT-S2311(3W) XT-S2311(4W)



XT-S2335 XT-S2332 XT-S2331



XT-S2455 XT-S2456 XT-S2458



XT-S2015

XT-S2015-30 XT-S2015B

D:21.5CM
Solar panel:5.5V0.8W
Battery:3.7V1500mah
LED:0.5W 3000K/6500K



XT-S2068



XT-S2068-30 XT-S2068B

D:25CM
Solar panel:6V2W
Battery:3.7V4400mah
LED:BULB 3W 3000K/6500K



XT-S2067-30 XT-S2067B

D:25CM
Solar panel:6V4.5W
Battery:3.7V4400mah
LED:BULB 4W 3000K/6500K

XT-S2067



XT-S2021 XT-S2046 XT-S2040



XT-S2039

Solar garden light



XT-S2041B

D:21.5CM
Solar panel:6V2W
Battery:3.7V4400mah
LED:2W 3000K/6500K

XT-S2015-2W

XT-S2041

Solar garden light



XinTianYang
太阳能欧式灯

CE RoHS 户外灯 Outdoor Light



Model	SIZE	PANALS	LED	Battery
XT-S4407	16*1435*32CM	0.7W	0.5W	3.7V1500MA
XT-S4407B	18*16*26CM			
XT-S4407D	16*14.5*50CM			
XT-S4408	20*18*38CM	1.2W	1W	3.7V1500MA
XT-S4408B	26*19*36.5CM			
XT-S4408F	20*18*103CM			
XT-S4409	23.5*20.5*42CM	1.8W	2W	3.7V3000MA
XT-S4409B	28*20.5*40CM			
XT-S4409F	23.5*20.5*107CM			
XT-S4416	23.5*20.5*50CM	3W	3W	3.7V4400MA
XT-S4416B	28*20.5*51CM			
XT-S4416F	23.5*20.5*115CM			
XT-S4508D	23.5*20.5*40CM			



Solar garden light

XinTianYang
鑫天扬电器





XT-S4201B

XT-S4222B

XT-S4244B



型号	规格	太阳能板	光源	电池
XT-S4201	18.5*18.5*27CM	6V2W	2W	3.7V3600AH
	24*24*34CM	6V4W	3W	3.2V5AH/ 3.7V5400MA



XT-S4201



XT-S4202



XT-S4203



XT-S4204



XT-S4207



XT-S4212



XT-S4221



XT-S4222



XT-S4223



XT-S4224

XT-S4226

型号	规格	太阳能板	光源	电池
XT-S4221	23.7*18.5*36CM	6V5W	4W	3.2V5AH/ 3.7V5400MA
	31.5*23.5*44CM	6V8W	6W	3.2V10AH



XT-S4241



XT-S4242



XT-S4243



XT-S4244

型号	规格	太阳能板	光源	电池
XT-S4241	20*20*35CM	5V2W	双色2W	3.7V3600MA
	25*25*44CM	5.5V2.8W	双色3W	3.2V5AH/ 3.7V5400MA
	30*30*56CM	5.5V5W	双色4W	3.2V5AH/ 3.7V5400MA



XT-S4246

Solar garden light



XT-S4261



XT-S4264



XT-S4271



XT-S4274



XT-S4282



XT-S4284

SIZE:18.5*18.5*60CM

SIZE:25*25*60CM

SIZE:23.7*18.5*69CM

31.5*23.5*75CM



XT-S4296 XT-S4298
SIZE:20*20*68CM
25*25*75CM



XT-S4501



XT-S4502



XT-S4515



XT-S4516



XT-S4517



XT-S4518



XT-S4519-1



XT-S4519



XT-S4520



XT-S4521



XT-S4522



XT-S4523

Solar Column light



XT-S4602



XT-S4601



XT-S4605



XT-S4654



XT-S4655



XT-S4672



XT-S4656



XT-S4657



XT-S4660



XT-S4673

规格	太阳板板	电池
250*250*100mm	5W/10V	3.2V/1000MA
300*300*100mm	5W/10V	3.2V/1000MA
400*400*100mm	5W/10V	3.2V/1000MA
500*500*100mm	5W/10V	3.2V/1000MA



XT-S4802



XT-S4803



XT-S4806



XT-S4807



XT-S4808



XT-S5002



XT-S5003

规格	太阳板板	电池
200*200*100mm	5W/10V	3.2V/1000MA
300*300*100mm	5W/10V	3.2V/1000MA
400*400*100mm	5W/10V	3.2V/1000MA
500*500*100mm	5W/10V	3.2V/1000MA



XT-S5022

规格	太阳板板	电池
200*200*100mm	5W/10V	3.2V/1000MA
300*300*100mm	5W/10V	3.2V/1000MA
400*400*100mm	5W/10V	3.2V/1000MA
500*500*100mm	5W/10V	3.2V/1000MA



XT-S5041



XT-S5043

规格	太阳板板	电池
200*200*100mm	5W/10V	3.2V/1000MA
300*300*100mm	5W/10V	3.2V/1000MA
400*400*100mm	5W/10V	3.2V/1000MA
500*500*100mm	5W/10V	3.2V/1000MA



XT-S5048

规格	太阳板板	电池
200*200*100mm	5W/10V	3.2V/1000MA
300*300*100mm	5W/10V	3.2V/1000MA
400*400*100mm	5W/10V	3.2V/1000MA
500*500*100mm	5W/10V	3.2V/1000MA



XT-S5046



XT-S5047



XT-S5053

规格	太阳板板	电池
200*200*100mm	5W/10V	3.2V/1000MA
300*300*100mm	5W/10V	3.2V/1000MA
400*400*100mm	5W/10V	3.2V/1000MA
500*500*100mm	5W/10V	3.2V/1000MA

Solar garden light



XT-S6303



XT-S6204



XT-S6306



XT-S6210



XT-S6312



XT-S6313



XT-S6314



XT-S6315



XT-S6320



XT-S6321



XT-S6322



XT-S6328



XT-S6201



XT-S6202



XT-S6206



XT-S6207



XT-S6208



XT-S6243



XT-S6241



XT-S6246



XT-S6247



XT-S6249



XT-S6250



XT-S6251



XT-S6281



XT-S6286



XT-S6287



XT-S6289



XT-S6290



XT-S6291



XT-A1101



XT-A1102



XT-A1103



XT-A1104



XT-A1105



XT-A1106



XT-A1107



XT-A1111



XT-A1112



XT-A1113



XT-A1114



XT-A1115



XT-A1116



XT-A1117



XT-A1121



XT-A1122



XT-A1123



XT-A1124




XT-A1125



XT-A1126



XT-A1127



XT-A1131



XT-A1132



XT-A1133



XT-A1134



XT-A1135



XT-A1136



XT-A1137




XT-A1215



XT-A1216



XT-A1217



XT-A1218



XT-A1219




XT-A1220



XT-A1221



XT-A1222



XT-A1223



XT-A1224



XT-A1225



XT-A1236



XT-A1239



XT-A1631



XT-A1632



XT-A1633



XT-A1634



XT-A1635



XT-A1636



XT-A1637



XT-A1640



XT-A1641



XT-A1642



XT-A1646



XT-A1651



XT-A1655 XT-A1656 XT-A1657



XT-A1661



XT-A1662



XT-A1663



XT-A1800




XT-A1804




XT-A1805



XT-A1806



XT-A1810



XT-A1811



XT-A1812



XT-A1820



XT-A1822



XT-A1829



XT-A1830



XT-A1831



XT-A1832



XT-A1835



XT-A1836

户外灯 Outdoor Light




XT-A1301 XT-A1302 XT-A1303 XT-A1304 XT-A1305 XT-S1306



XT-A1307 XT-A1308 XT-A1309 XT-A1310 XT-A1311 XT-A1312 XT-A1316(60cm) (30cm)



XT-A1322 XT-A1323 XT-A1324 XT-A1325 XT-A1330 XT-A1334 XT-A1336



XT-A1342 XT-A1343 XT-A1345 XT-A1346 XT-A1347 XT-A1348



XT-A1401 XT-A1402 XT-A1403 XT-A1405 XT-A1406 XT-A1407 XT-A1408


Outdoor Light 户外灯



XT-A1501 XT-A1502 XT-A1503 XT-A1504 XT-A1505 XT-A1506 XT-A1508 XT-A1509



XT-A1521 XT-A1522 XT-A1523 XT-A1524 XT-A1525



XT-A1530 XT-A1531 XT-A1532 XT-A1533 XT-A1534 XT-A1535 XT-A1536 XT-A1537

户外灯 Outdoor Light




XT-A1301 XT-A1302 XT-A1303 XT-A1304 XT-A1305 XT-S1306



XT-A1307 XT-A1308 XT-A1309 XT-A1310 XT-A1311 XT-A1312 XT-A1316(60cm) (30cm)



XT-A1322 XT-A1323 XT-A1324 XT-A1325 XT-A1330 XT-A1334 XT-A1336



XT-A1342 XT-A1343 XT-A1345 XT-A1346 XT-A1347 XT-A1348



XT-A1401 XT-A1402 XT-A1403 XT-A1405 XT-A1406 XT-A1407 XT-A1408


Outdoor Light 户外灯



XT-A1501 XT-A1502 XT-A1503 XT-A1504 XT-A1505 XT-A1506 XT-A1508 XT-A1509



XT-A1521 XT-A1522 XT-A1523 XT-A1524 XT-A1525



XT-A1530 XT-A1531 XT-A1532 XT-A1533 XT-A1534 XT-A1535 XT-A1536 XT-A1537

XinTianYang Solar Integrated Induction Lamp



XT-S8801



XT-S8803



XT-S8840




XT-S8841



XT-S8842




Solar footlights



XT-S8845 XT-S8846



XT-S8843



XT-S8851



XT-S8853



XT-S8854



XT-S8849



XT-S612 XT-S613

Solar portable light




XT-S618

Solar integrated charging lamp



XT-T50-3




XT-T50-4



XT-T50-6



XT-T50-16



XT-U033




Solar light strip
Solar light string
Solar wrapped tree lamp

Solar wire lamp XT-U035



SOLAR LIGHT



XT-U034

Solar charging bulb



XT-S100



XT-S115



XT-C100S XT-C115S

Charging emergency bulb



XT-C80/C100/C115/C125



XT-C150



XT-S160

Solar power lighting system



XT-S10W



XT-S08



XT-S60W



XT-F-DS10/DS12/DC14

Solar Fan

1. Input voltage: AC100V-240V Output voltage: DC12.6V 2A
2. Fan specifications: 12 inches/14 inches (aluminum blades)
3. Specification of built-in lithium battery: 11.1V440mAh
4. Adopting brushless DC motor digital PMW 12 speed control
5. Rated power of fan: 5W -15W
6. USB: DC 5V 2A
7. Maximum speed: 1300 rpm
8. Speed control switch: light touch switch
9. Safety device: Overcharge and discharge protection.
10. Battery life: 4-15 hours.
11. Charging time: 4-5 hours.

Solar Fan



XT-F116



XT-F-M1



XT-F092



XT-F-DS10A

Solar air circulation fan

XT-F-DS10A

- Solar air circulation fan
1. Fan specification: 10 inches.
 2. Fan power: 8-22W
 3. Battery specification: 11.1V 4500mAh
 4. Charger specifications: 13.5V/2A 30W
 5. Switching switch: Three speed knob switch
 6. Speed range: 3-speed PWM speed regulation
 7. Battery life: 3-12 hours
 8. Charging time: 3-4 hours
 9. Maximum fan speed: 1600 rpm
 10. Fan height adjustment: 600mm*850mm*1100mm. (Adjust the height of the fan by adding or reducing plastic pillars)

Power: 25 w
Battery capacity: 18000mah lithiumbattery
Charger: 2.5A adapter charger Gear: 3rd gear
Charging time: 4-6 hours
Usage time: 5 hours in 3rd gear and 10 hours 1st gear
Function mode: remote control or button control
Fan size: 16 inches, height 120cm, width 45cm

Professional LED Head Lamp



Model: XT-A3

LED power: 3W
Battery: 18650/1800MAH
Lamp cup size: 46cm
Battery life: 10-12 hours
Charging time: 5-10 hours
2nd level brightness
Explosive flash
Packing quantity: 100 pieces/box



Model: XT-A4

LED power: 0.8W
Battery: 14500/400MAH
Lamp cup size: 46cm
Battery life: 3.5 hours
Charging time: 6hours
2nd level brightness
Explosive flash
Packing quantity: 100 pieces/box



Model: XT-A6

LED power: 3W
Battery: 18650/1800MAH
Lamp cup size: 46cm
Battery life: 10-12 hours
Charging time: 5-10 hours
3rd level brightness
Digital lighting time display
Packing quantity: 100 pieces/box



Model: XT-A13

LED power: 4W
Battery: 18650/2000MAH
Lamp cup size: 52cm
Battery life: 8 hours
Charging time: 5-8 hours
Manual dimming capability
4th level battery display
Packing quantity: 60 pieces/box



Model: XT-A14

LED power: 1.8W
Battery: 18650/1200MAH
Lamp cup size: 52cm
Battery life: 5hours
Charging time: 3-6hours
2nd level brightness
Explosive flash
4th level battery display
Packing quantity: 60 pieces/box



Model: XT-A15

LED power: 6.8W
Battery: 18650/1800MAH*2
Lamp cup size: 52cm
Battery life: 10-12 hours
Charging time: 5-10hours
2nd level brightness
Explosive flash
Digital battery level display
Packing quantity: 60pieces/box



Model: XT-A17

LED power: 1.8W 4000K
Battery: 18650/1800MAH*2
Lamp cup size: 68cm
Battery life: 10-12 hours
Charging time: 5-10hours
2nd level brightness
Explosive flash
4th level battery display
Packing quantity: 60 pieces/box



Model: XT-A33

LED power: 5W
High beam/low beam
Battery: 18650/1800MAH*2
Lamp cup size: 78cm
Battery life: 10-12 hours
Charging time: 5-10hours
Manual dimming capability
Digital battery level display
Packing quantity: 48pieces/box



Model: XT-A36

LED power: 8W
Battery: 18650/1800MAH*2
Lamp cup size: 78cm
Battery life: 9-10 hours
Charging time: 5-10hours
2nd level brightness
Digital battery level display
Packing quantity: 48pieces/box

ENGINEERING LIGHT



XT-019

XT-020

XT-022

XT-023



XT-028

SENSOR LIGHT



XT-024



XT-026



XT-025



XT-027



XT-029



XT-701L



XT-2002



XT-2005



XT-2002



XT-2001



XT-2001



XT-1018-16L



XT-1038-16L



XT-1096



XT-1098



XT-1099

Factory lighting



XT-U021



XT-U022



XT-U022

GRILLE LAMP



XT-U032



XT-U033



XT-U035

PANEL LIGHT



XT-U036

CEILING LAMP



XT-U037

EXPLOSION-PROOF LIGHT



XT-E01



XT-E02



XT-E03

30W/50W/100W/150W/200W

FLOOD LIGHT



XT-T01



XT-T02



XT-T03